

Harriet Dyson

Park Hall Road
Park Hall, MD

2 Inspection Visits Since 2025 · 14 Findings

Most recent inspection: May 18, 2026

● 14 Important

Across 2 inspections since 2025, the issues cited most often were Three Children Need Updated Shot Records. (2), One Child Needs a 2 Year Lead Blood Test. (2), and Provider's Granddaughter Has Moved In. She Goes Between This Home and Her Mother's Home. The Granddaughter Is 17 Years Old. (1). None of the 14 findings were critical.

Inspection Visits

May 18, 2026 10 Findings ● 10 Important

● **Three Children Need Updated Shot Records.**

13A.15.03.02A

● **One Child Needs a 2 Year Lead Blood Test.**

13A.15.03.02B

● **Provider's Granddaughter Has Moved In. She Goes Between This Home and Her Mother's Home. The Granddaughter Is 17 Years Old.**

13A.15.03.05C(1)

● **Provider Needs to Submit a Medical for the Granddaughter (New Resident).**

13A.15.03.05E

● **There Is an Outlet in the Outer Room That Needs to Be Capped.**

13A.15.05.04B(1)

● **Shed Needs to Be Locked Due to Hazards.**

13A.15.05.05A

● **Provider Has Not Completed the 2025 Basic Health and Safety Training. This Was Due by 12/31/25. She Needs to Complete It Immediately and Submit a Copy of the Certificate to Specialist.**

13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Didn't Have a Fire Drill for April 2026. She Needs to Be Sure to Do Fire Drills Each Month and Record Them. She Needs to Send Me a Copy of Her Fire Drills When She Gets the One for May Done as a Correction.**

13A.15.10.01A(3)

- **The First Aid Kit Was Missing an Ice Pack, Paper Towels, and Disposable Washcloths. These Items Need to Be Added to the First Aid Kit and a Picture Sent to Specialist.**

13A.15.10.01H(1)

- **There Was Laundry Detergent on Top of the Washer and Cosmetic Hazards on the Bathroom Sink. The Laundry Detergent Was Moved Out of Reach During the Inspection. The Other Hazards Need to Be Moved Out of Reach.**

13A.15.10.02

Jun 6, 2025 4 Findings ● 4 Important

- **One Child Needs Part I and Part II of the Health Inventory and a Shot Record. Two Children Need Part II of the Health Inventory and a Shot Record.**

13A.15.03.02A

- **Two Children Need Evidence of Having Had a Lead Blood Test at One Year of Age. One Child Needs Evidence of Having Had a Lead Blood Test at 2 Years of Age.**

13A.15.03.02B

- **Two Children Don't Have Evidence of the Parents Having Received the Discipline Policy.**

13A.15.03.03A

- **Provider Could Not Produce Attendance Records. Provider Is Reminded That She Must Complete Attendance Each Day and Maintain the Records for Review.**

13A.15.03.03B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.