

## Theresa Scott

N Boundary Road  
Dundalk, MD

### 2 Inspection Visits Since 2025 - 14 Findings

Most recent inspection: Jan 6, 2026

- 14 Important

Across 2 inspections since 2025, the issues cited most often were Three Forms Were Missing Required Information. Correct Immediately. (2), At the Time of the Inspection, Specialist Observed an Open Railing Leading to the Upper Level That Can Be Hazardous. (2), and Provider Has Not Completed the Basic Health and Safety Updates. (2). None of the 14 findings were critical.

### Inspection Visits

**Jan 6, 2026** 1 Finding ● 1 Important

- **Three Forms Were Missing Required Information. Correct Immediately.**  
13A.15.03.04A(1)

**Feb 4, 2025** 13 Findings ● 13 Important

- **At the Time of the Inspection 2 Children (EH, AH) Were Missing Part 2 of the Health Inventory and Evidence of Required Immunizations. One Child (NB) Was Missing Part 1 and 2 of Health Inventory and Evidence of Required Immunizations.**  
13A.15.03.02A
- **At the Time of the Inspection, 1 Child (EH) Is Missing Evidence of Lead Testing or Screening.**  
13A.15.03.02B
- **At the Time of the Inspection, One Child (RB) Did Not Have a Parent Agreement in His File.**  
13A.15.03.03A
- **An Emergency Form for One Child (JH) Is Missing Physician Information.**  
13A.15.03.04A(1)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Has a Dog and Cat That Do Not Have Current Rabies Vaccinations. Provider Stated She Has an Appointment for 02/13/2025 for the Vaccinations. Provider Has 2 Kittens That Are Too Young to Get Rabies Vaccinations, Veterinarian Said They Need to Be at Least 16 Weeks Old.**

13A.15.05.01A

- **At the Time of the Inspection, Specialist Observed Water Marks on the Ceiling in the Living Room.**

13A.15.05.01B

- **At the Time of the Inspection, There Were No Paper Towels in the Bathroom.**

13A.15.05.03B

- **At the Time of the Inspection, Specialist Observed an Open Railing Leading to the Upper Level That Can Be Hazardous.**

13A.15.05.04B(2)

- **At the Time of the Inspection, Specialist Observed a Kitchen Drawer That Contains Corn Cob Holder and Did Not Have a Child Proof Device.**

13A.15.05.04B(3)

- **At the Time of the Inspection, Specialist Observed Ice Melt on the Porch in the Back Yard, the Storm Door Leading to the Back Yard Has Broken Sharp Metal and Is a Injury Hazard.**

13A.15.05.05A

- **At the Time of the Inspection, Specialist Could Not Verify How Many Cots the Provider Has. They Are Being Store in the Lower Level Basement. The Basement Stairs Were Blocked with Boxes and Specialist Could Not Access Safely.**

13A.15.05.06A

- **Provider Has Not Completed the Basic Health and Safety Updates.**

13A.15.06.02B(1)

- **Provider Does Not Have Training for the 02/2023-02/2024 and 02/2024-02/2025 Time Periods**

13A.15.06.02B(3)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.