

Kimberly Walton

Eastman Road

Randallstown, MD

2 Inspection Visits Since 2023 · 9 Findings

Most recent inspection: Jul 22, 2025

9 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed That 2 Children's Emergency Forms Were Not Complete, 2 Children Were Missing HI-1, 1 Child Is Missing Their HI-2, 4 Children Are Missing Documentation of Their Required Lead Tests, and 1 Child Is Missing Their Immunization Documentation. (2), LS Observed That 1 Child Is Missing Their HI-2 and 1 Child Is Missing Their Immunization Documentation. (1), and LS Observed That 4 Children Are Missing Documentation of Their Required Lead Tests. (1). None of the 9 findings were critical.

Inspection Visits

Jul 22, 2025 6 Findings 6 Important

- **LS Observed That 1 Child Is Missing Their HI-2 and 1 Child Is Missing Their Immunization Documentation.**
13A.15.03.02A
- **LS Observed That 4 Children Are Missing Documentation of Their Required Lead Tests.**
13A.15.03.02B
- **LS Observed That 4 Children Are Missing Documentation of Their Required Lead Tests and 1 Child Is Missing Their Immunization Documentation.**
13A.15.03.02D(2)
- **LS Observed That 2 Children's Emergency Were Not Complete.**
13A.15.03.04A(1)
- **LS Observed That 2 Children's Emergency Forms Were Not Complete, 2 Children Were Missing HI-1, 1 Child Is Missing Their HI-2, 4 Children Are Missing Documentation of Their Required Lead Tests, and 1 Child Is Missing Their Immunization Documentation.**
13A.15.03.04C
- **LS Observed That 2 Children's Emergency Forms Were Not Complete, 2 Children Were Missing HI-1, 1 Child Is Missing Their HI-2, 4 Children Are Missing Documentation of Their Required Lead Tests, and 1 Child Is Missing Their Immunization Documentation.**
13A.15.07.07A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Jul 6, 2023 3 Findings ● 3 Important

- **LS Observed That One Child's Record Was Missing HI-1, HI-2, Lead Screening, and Immunizations. LS Observed That Five Other Children Were Missing Updated Lead Screenings and Results.**
13A.15.03.04C

- **LS Observed That the First Aid Kit Was Missing a Wash Cloth and Scissors. The Provider Added Both Items to the First Aid Kit at the Time of the Inspection.**
13A.15.10.01H(1)

- **LS Observed That the Provider Had an Inflatable Pool in the Backyard Filled with Water. The Provider Emptied the Pool and Deflated It at the Time of the Inspection.**
13A.15.10.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.