

# Valley Baptist Preschool

York Road  
Lutherville, MD

## 3 Inspection Visits Since 2024 - 12 Findings

Most recent inspection: Feb 26, 2026

● 12 Important

Across 3 inspections since 2024, the issues cited most often were LS Observed Staff Members Files Missing Medical Evaluations and Orientation of COMAR. Program Will Submit Documentation Immediately. (2), LS Observed 2 Staff Members Files Without Orientation of COMAR Documentation. Program Will Submit Documentation to OCC Immediately. (1), and LS Observed 4 Staff Files Without Medical Evaluations. Program Will Submit Medical Forms to OCC Immediately. (1). None of the 12 findings were critical.

## Inspection Visits

**Feb 26, 2026** 4 Findings ● 4 Important

● **LS Observed Staff Members Files Missing Medical Evaluations and Orientation of COMAR. Program Will Submit Documentation Immediately.**

13A.16.03.05C

● **LS Observed 2 Staff Members Files Without Orientation of COMAR Documentation. Program Will Submit Documentation to OCC Immediately.**

13A.16.06.02

● **LS Observed 4 Staff Files Without Medical Evaluations. Program Will Submit Medical Forms to OCC Immediately.**

13A.16.06.04A(1)

● **LS Observed an Albuterol Inhaler That Is Not Labeled by the Pharmacist. The Program Accepted the Medication From the Parent Without a Box and Label. The Program Will Obtain the Medication From the Parent with the Pharmaceutical Label. The Program Will Submit a Picture of the Medication with It's Lab**

13A.16.11.04A(3)

**Feb 27, 2025** 4 Findings ● 4 Important

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed Play Equipment That Is Not in Good Repair and Awaiting Bulk Pick-up to Be Discarded. Program Will Ensure That Equipment Is Removed Immediately and Notify OCC of Such.**  
13A.16.05.12E
- **LS Observed Roto-rooter Cleanser Under the Sink in Room 106. The Cleanser Is Accessible to Children in Care as the Cabinet Does Not Have a Child-proof Lock on It. The Program Will Install Child-proof Locks on Cabinets That May Store Potentially Hazardous Materials Immediately.**  
13A.16.10.04A
- **LS Observed Electrical Sockets That Are Accessible to Children in Care Without Caps. The Program Will Cap the Electrical Sockets Immediately.**  
13A.16.10.04F
- **LS Observed the Freezer at 30 Degrees F in Classroom 110. Program Will Adjust the Temperature on the Freezer And/or Replace the Thermometer.**  
13A.16.12.04A(1)

**Feb 22, 2024** 4 Findings ● 4 Important

- **LST Observed One Child's Emergency Form Without an Authorized Pick Up in Case of an Emergency.**  
13A.16.03.04C
- **LST Observed One Staff Member That Needs an Updated Medical evaluation.  
LST Observed One Staff Member That Needs Verification of Age in File,**  
13A.16.03.05C
- **LST Observed One Substitute Without Verification of Age in the File.**  
13A.16.06.13A
- **LST Observed One Child's Medication Which Was Expired. Program Will Return the Expired Medication to the Parent and Request an Updated Medication.**  
13A.16.11.04E(1)(c)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.