

MRDC - Head Start Edgewood

Woodbridge Station Way
Edgewood, MD

3 Inspection Visits Since 2023 · 9 Findings

Most recent inspection: Oct 21, 2025

● 9 Important

Across 3 inspections since 2023, the issues cited most often were At the Time of the Complaint Inspection the Child Can Be Seen Leaving the Classroom with Another Parent and the Teachers Did Not Notice. (2), At the Time of the Inspection the LS Observed Classroom 3 Which Was in Use for Picture Day Was Missing a Cap in the Socket and a Bottle of Cleaning Agent Was Sitting in Reach of the Children. The Director Removed the Spray and Placed a New Cap in the Socket. (2), and At the Time of the Inspection LS Spoke with Staff Member EV and Checked the Associated Party List, the Staff Member Within the Facility at the Time Was Not an Approved Party on the List. (2). None of the 9 findings were critical.

Inspection Visits

Oct 21, 2025 1 Finding ● 1 Important

- **At the Time of the Complaint Inspection the Child Can Be Seen Leaving the Classroom with Another Parent and the Teachers Did Not Notice.**

13A.16.08.01A(2)(b)

Nov 29, 2023 5 Findings ● 5 Important

- **At the Time of the Inspection the LS Conducted a Compliant Investigation, During the Interview Process LS Spoke with a Staff Member That Was Not Listed on the Associated Parties List. Upon Further Review of the File LS Was Not Notified That the Staff Member Began Working Within the Facility. Staff H**

13A.16.03.06A(1)

- **At the Time of the Inspection the LS Observed Classroom 3 Which Was in Use for Picture Day Was Missing a Cap in the Socket and a Bottle of Cleaning Agent Was Sitting in Reach of the Children. The Director Removed the Spray and Placed a New Cap in the Socket.**

13A.16.05.01A(2)

- **At the Time of the Inspection LS Spoke with Staff Member EV and Checked the Associated Party List, the Staff Member Within the Facility at the Time Was Not an Approved Party on the List.**

13A.16.07.06A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of the Inspection LS Observed a Bottle of Cleaning Spray Sitting on the Children's Toy Kitchen in the Reach of Two Children. LS Made the Director Aware, She Removed the Spray From the Classroom.**

13A.16.10.04A

- **At the Time of the Inspection LS Asked for Documentation of the Incident That Happened on 11/10/2023. LS Came Out to the Facility on 11/15/2023 to Investigate the Complaint and Was Only Provided with the Statements From the Staff and One Picture From Staff. LS Requested the Rest of the Photos the Fa**

13A.16.17.02C

Nov 15, 2023 3 Findings ● 3 Important

- **At the Time of the Inspection LS Observed the Cap Was Out of the Plug in Classroom 4 and Classroom 2.**

13A.16.05.01A(2)

- **At the Time of the Investigation LS Was Informed Child JS Was Injured by Three Different Children LD, GG, and AN with the Teacher and Aid in the Room.**

13A.16.07.06A

- **At the Time of the Investigation LS Spoke with Staff CC and GJ, Both Staff Members Stated They Did Not See the First Attack by Child LD on Child JS. JS Ended Up Getting Attacked by Two More Children GG and AN Without Staff Being Able to Intervene in Enough Time to Stop the Injury to Her Face.**

The

13A.16.08.01A(2)(b)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.