

Marci Altman

Timberview Drive
Elkridge, MD

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Mar 11, 2026

● 4 Important

Across 2 inspections since 2024, the issues cited most often were 6 Emergency Forms Need to Be Annually Updated. Correct and Submit Correction to OCC. (2), First Aid Kit Is Missing a Working Flashlight. Correct and Submit Correction to OCC. (1), and Part I of the Health Inventory Was Not Available for Review During This Inspection. 1 Child Did Not Have a Health Inventory Available for Review During This Inspection. 5 Children Did Not Have a Blood Lead Test Available for Review During This Inspection. Correct and Submit Correction to OCC. (1). None of the 4 findings were critical.

Inspection Visits

Mar 11, 2026 2 Findings ● 2 Important

● **6 Emergency Forms Need to Be Annually Updated. Correct and Submit Correction to OCC.**

13A.15.03.04A(3)

● **First Aid Kit Is Missing a Working Flashlight. Correct and Submit Correction to OCC.**

13A.15.10.01H(1)

Apr 26, 2024 2 Findings ● 2 Important

● **2 Children Need Their Emergency Card Updated. Correct and Submit Correction to OCC.**

13A.15.03.04A(3)

● **Part I of the Health Inventory Was Not Available for Review During This Inspection. 1 Child Did Not Have a Health Inventory Available for Review During This Inspection. 5 Children Did Not Have a Blood Lead Test Available for Review During This Inspection. Correct and Submit Correction to OCC.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.