

Regina Smith

Bolivar Avenue
Baltimore, MD

3 Inspection Visits Since 2023 - 14 Findings

Most recent inspection: May 28, 2025

● 14 Important

Across 3 inspections since 2023, the issues cited most often were Was Not Found During Time of Inspection (3), During Inspection Areas of the Childcare Area Have Excessive Clutter (2), and Bathroom Had Potentially Hazardous Items on the Top Shelf Near Toilet in Reach of Children. Kitchen Cabinet Had Bleach Underneath, Counter Had Cleaner on Top in Reach of Children. (2). None of the 14 findings were critical.

Inspection Visits

May 28, 2025 7 Findings ● 7 Important

● **During Inspection Areas of the Childcare Area Have Excessive Clutter**

13A.15.05.03A

● **During Inspection Provider Has Excessive Amount of Toys, Activities and Furnishings That Can Cause Hazards.**

13A.15.05.04A(3)

● **Provider Couldn't Show LS Napping Equipment for Children 12 Mos and Older.**

13A.15.05.06C(2)

● **Was Not Found During Time of Inspection**

13A.15.10.01A(1)

● **Emergency and Disaster Plan Was Not Practiced.**

13A.15.10.01A(3)

● **Was Not Found During Time of Inspection**

13A.15.10.01A(4)

● **Bathroom Had Potentially Hazardous Items on the Top Shelf Near Toilet in Reach of Children. Kitchen Cabinet Had Bleach Underneath, Counter Had Cleaner on Top in Reach of Children.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Apr 26, 2024 4 Findings ● 4 Important

- **LS Observed Emergency Cards for Enrolled Children. Provider Could Not Produce Emergency Card for One Enrolled Child.**

13A.15.03.04A(1)

- **LS Observed Bathroom Area. The Floor of the Bathroom Was Sticky When LS Stepped on It.**

13A.15.05.03A

- **Bathroom Did Not Have Paper Towels.**

13A.15.05.03B

- **LS Observed Cleaning Agents Within Reach of the Children in the Bathroom.**

13A.15.10.02

Jul 13, 2023 3 Findings ● 3 Important

- **Provider Did Not Have Attendance Records for the Two Children Enrolled.**

13A.15.03.03B

- **BC Is Missing Health Inventory 2 Form and KC Is Missing Emergency Contact Update and Health Inventory 1.**

13A.15.03.04C

- **Provider Did Not Present Continued Trainings to LS.**

13A.15.06.02B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.