

Antoinette White

South Highland Avenue
Baltimore, MD

2 Inspection Visits Since 2023 - 4 Findings

Most recent inspection: Aug 14, 2025

● 4 Important

Across 2 inspections since 2023, the issues cited most often were LS Did Not Observe 12 Hours of Continued Training. (1), Provider Did Not Have a Record of Fire and Emergency Drills. (1), and LS Observed on All Emergency Forms No Physicians Information and Two Children Did Not Have the Lead. (1). None of the 4 findings were critical.

Inspection Visits

Aug 14, 2024 1 Finding ● 1 Important

- **LS Did Not Observe 12 Hours of Continued Training.**
13A.15.06.02B(3)

Aug 11, 2023 3 Findings ● 3 Important

- **Provider Did Not Have a Record of Fire and Emergency Drills.**
13A.15.03.03F
- **LS Observed on All Emergency Forms No Physicians Information and Two Children Did Not Have the Lead.**
13A.15.03.04C
- **LS Observed Ajax in the Bathroom Under an Unlock Sink That Was Accessible to Children.**
13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.