

Tyesha Rideout

Lindsay Road
Baltimore, MD

3 Inspection Visits Since 2023 · 14 Findings

Most recent inspection: Nov 19, 2025

● 14 Important

Across 3 inspections since 2023, the issues cited most often were LS Observed 5 Children's Files Who Emergency Forms Need to Be Updated. (2), LS Observed 2 Children's Files That Were Missing the Second Lead Test, and at Least 2 Children's Files That Were Missing the First or Second Part of the Health Assessment Form. (2), and Licensing Specialist Observed 3 Hours of Continued Training Completed by the Provider Between January 1, 2023 and December 31, 2023. (2). None of the 14 findings were critical.

Inspection Visits

Nov 19, 2025 2 Findings ● 2 Important

● **LS Observed 5 Children's Files Who Emergency Forms Need to Be Updated.**

13A.15.03.04A(3)

● **LS Observed 2 Children's Files That Were Missing the Second Lead Test, and at Least 2 Children's Files That Were Missing the First or Second Part of the Health Assessment Form.**

13A.15.03.04C

Oct 28, 2024 4 Findings ● 4 Important

● **Licensing Specialist Did Not Observe an Emergency Form for One Children Present. Please Also Update Applicable Emergency Forms.**

13A.15.03.04A(1)

● **Licensing Specialist Observed the Diapering Pad with Some Tears.**

13A.15.05.03E(3)

● **Licensing Specialist Observed Black Cords and an Unwound Water Hose. Please Make These Items Inaccessible to Children Without Blocking the Fire Exit.**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed 3 Hours of Continued Training Completed by the Provider Between January 1, 2023 and December 31, 2023.**

13A.15.06.02B(3)

Nov 21, 2023 8 Findings ● 8 Important

- **Licensing Specialist Was Not Able to Observe Two Enrolled Children's Records During the Inspection. Provider Stated the Parent's Have the Records So That They Could Be Updated.**

13A.15.03.04C

- **Licensing Specialist Did Not Receive a Current Fire Report Posted. However, Provider Stated She Had to Pay for Her Inspection Twice and Demonstrated Photographic Evidence of Text Messages From the Fire Inspector Asking to Come for Inspection on November 20, 2023. The Fire Inspector Arrived During Th**

13A.15.05.01A

- **Please Repair the Minor Disrepair to Paint Behind the Pack and Plays and on the Wall Directly Across From the Pack and Plays.**

13A.15.05.01B

- **Licensing Specialist Observed a Water Temperature in the Bathroom at 122 F.**

13A.15.05.01E

- **Licensing Specialist Did Not Observe the Substitute Wash Her Hands After Diapering.**

13A.15.05.03D(1)

- **Licensing Specialist Did Not Observe the Substitute Wash the Infant's Hands After Diapering.**

13A.15.05.03D(2)

- **Licensing Specialist Was Not Able to Observe 12 Hours of Continued Training Completed by the Provider Between January 1, 2022 and December 31, 2022.**

13A.15.06.02B(3)

- **Licensing Specialist Did Not Observe a Written Emergency and Disaster Plan During the Inspection.**

13A.15.10.01A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.