

# Ruby Ambush

Hope Circle  
Frederick, MD

## 3 Inspection Visits Since 2024 - 9 Findings

Most recent inspection: Feb 2, 2026

● 9 Important

Across 3 inspections since 2024, the issues cited most often were One Child Is Missing the Health Inventory Part 2, Provider Will Obtain This From the Parents and Send to LS for Correction. (2), One Child Is Missing a Lead Test, Provider Will Obtain This From the Parents and Send to LS for Correction. (2), and Two Emergency Forms Need to Be Updated and Two Need to Have Child's Physician's Info Added. Provider Will Send These to LS to Show This Has Been Done. (2). None of the 9 findings were critical.

## Inspection Visits

**Feb 2, 2026** 3 Findings ● 3 Important

● **One Child Is Missing the Health Inventory Part 2, Provider Will Obtain This From the Parents and Send to LS for Correction.**

13A.15.03.02A

● **One Child Is Missing a Lead Test, Provider Will Obtain This From the Parents and Send to LS for Correction.**

13A.15.03.02B

● **A Whistle Needs to Be Added to the First Aid Kit, Provider Will Send a Photo of This When She Has It.**

13A.15.10.01H(1)

**Feb 4, 2025** 3 Findings ● 3 Important

● **Two Emergency Forms Need to Be Updated and Two Need to Have Child's Physician's Info Added. Provider Will Send These to LS to Show This Has Been Done.**

13A.15.03.04A(3)

● **Provider Installed an Above Ground Pool on the Back Patio and Did Not Let LS Know, Since It Will Now Make the Back Yard Off Limits for Child Care and Registration Will Need to Be Revised. Provider Understands That She Needs to Let LS Know When Any Changes That May Affect Her Registration Occur.**

13A.15.03.05C(1)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Now Has an Above Ground Pool on the Back Patio. Provider Needs to Put an Alarm in the Pool and on the Back Door Leading to the Back Yard. Back Yard Will Be Made Off Limits for Children in Care and Provider Will Use Front Yard or Nearby Parks for Play. Provider Will Send Photos to LS When Th**  
13A.15.05.05C

**Feb 6, 2024** 3 Findings ● 3 Important

- **One Child Is Missing a Health Inventory and Immunizations. Provider Will Get This From Parent and Send to LS for Correction.**  
13A.15.03.02A
- **One Child Is Missing a Lead Test. Provider Will Get This From Parent and Send to LS for Correction.**  
13A.15.03.02B
- **Three Children's Emergency Forms Need Additional Information, Doctor's Info, Address of Emergency Contact. Provider Will Send LS Corrected Emergency Forms.**  
13A.15.03.04A(1)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.