

Denise Schlimgen

Cave Hill Road
Smithsburg, MD

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Jul 24, 2025

● 3 Important

Across 2 inspections since 2023, the issues cited most often were One Child's File Was Missing the Lead Verification.- The Provider Will Send a Copy to OCC. (2) and The First Aid Kit Was Missing the Fragrance Free Soap and Disposable Washcloths. Provider Will Obtain and Send Verification to OCC by Sept. 18, 2023. (1). None of the 3 findings were critical.

Inspection Visits

Jul 24, 2025 1 Finding ● 1 Important

- **One Child's File Was Missing the Lead Verification. The Provider Will Send a Copy to OCC.**
13A.15.03.02B

Aug 18, 2023 2 Findings ● 2 Important

- **One Child in Care Needs the Lead Verification Completed. Provider Will Obtain and Send Verification to OCC by Sept. 18, 2023**
13A.15.03.02B
- **The First Aid Kit Was Missing the Fragrance Free Soap and Disposable Washcloths. Provider Will Obtain and Send Verification to OCC by Sept. 18, 2023.**
13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.