

Regina Anderson

Hazel Avenue
Baltimore, MD

3 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Feb 18, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Licensing Specialist Observed Insect Repellant, Ladders, Plastic Flex Tubes, Fence Panels, and Dog Feces on the Ground at the Provider's Backyard. Correct Immediately by Removing All Potentially Hazardous Items. (3), The Provider Did Not Have Lead Test Results for One Child. Correct Immediately. (1), and The Provider Has Not Completed 12 Hours of Training for 2023-2024 Year. Correct Immediately. (1). None of the 5 findings were critical.

Inspection Visits

Feb 18, 2026 1 Finding ● 1 Important

● **Licensing Specialist Observed Insect Repellant, Ladders, Plastic Flex Tubes, Fence Panels, and Dog Feces on the Ground at the Provider's Backyard. Correct Immediately by Removing All Potentially Hazardous Items.**

13A.15.05.05A

Mar 14, 2025 3 Findings ● 3 Important

● **The Provider Did Not Have Lead Test Results for One Child. Correct Immediately.**

13A.15.03.04C

● **LS Observed Metal Ladders, Disassembled Playground Equipment, Two Gas Tanks, and Uncovered HV/AC Unit. Correct Immediately.**

13A.15.05.05A

● **The Provider Has Not Completed 12 Hours of Training for 2023-2024 Year. Correct Immediately.**

13A.15.06.02B(3)

Mar 14, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed Back Yard Which Is Approved for Care to Have Large Plastic Plumbing Tubing in the Yard. The Provider States Due to Issues with a Neighbor, Her Shed Needed to Be Removed and the Tubing Was Stored Behind It and Was Placed Inside the Yard.. The Provider Currently Temporary Fencing in Place**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.