

Sultana Chowdhury

Burnt Mills Avenue
Silver Spring, MD

1 Inspection Visit Since 2023 · 2 Findings

Most recent inspection: Jun 26, 2025

● 2 Important

Across 1 inspection since 2023, the issues cited most often were Licensing Specialist Observed That There Are No Disposable Paper Lining, Diapering Procedures Shall Be Followed as Established by the Agency. (1) and Licensing Specialist Observed That a Barrier in Not in Between Rooms. A Barrier Suitable Protective Barrier Shall Be Placed at Accessible and Potentially Hazardous Locations. (1). None of the 2 findings were critical.

Inspection Visits

Jul 21, 2023 2 Findings ● 2 Important

- **Licensing Specialist Observed That There Are No Disposable Paper Lining, Diapering Procedures Shall Be Followed as Established by the Agency.**

13A.15.05.03E(2)

- **Licensing Specialist Observed That a Barrier in Not in Between Rooms. A Barrier Suitable Protective Barrier Shall Be Placed at Accessible and Potentially Hazardous Locations.**

13A.15.05.04B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.