

Bright Beginning Children's Learning Center of Glen Burnie

Old Stage Road
Glen Burnie, MD

1 Inspection Visit Since 2024 · 1 Finding

Most recent inspection: Aug 28, 2025

● 1 Important

Across 1 inspection since 2024, the issues cited most often were LS Observed That the Refrigerator in the 2 Year Old Room Was Reading a Temperature of 43 Degrees. Center Shall Ensure Refrigerator Is Operating at a Temperature of 40 Degrees or It Would Have to Be Replaced. Facility Shall Send Photographic Evidence That the Refrigerator Is Operating at the Correct (1). The single finding was not critical.

Inspection Visits

Aug 23, 2024 1 Finding ● 1 Important

- **LS Observed That the Refrigerator in the 2 Year Old Room Was Reading a Temperature of 43 Degrees. Center Shall Ensure Refrigerator Is Operating at a Temperature of 40 Degrees or It Would Have to Be Replaced. Facility Shall Send Photographic Evidence That the Refrigerator Is Operating at the Correct**
13A.16.12.05C(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.