

Susan Richard

Winnebego Lane
Lusby, MD

3 Inspection Visits Since 2023 · 9 Findings

Most recent inspection: Jul 25, 2025

● 9 Important

Across 3 inspections since 2023, the issues cited most often were During a Review of Children's Emergency Forms, It Was Found That Two Children, a Two Year Old Boy and a Seven Year Old Boy, Do Not Have Any Yearly Update at All. Four Other Children, Two Four Year Old Girls, a Five Year Old Girl and an Eight Year Old Girl Have Not Had Their Emergency Forms Updated (3), During the Inspection, Two Electrical Outlets, Within in Reach of Children Younger Than Five Years Old, Were Unused and Uncapped. When This Was Brought to the Attention of the Provider, She Capped Both of Them. Therefore, This Non-compliance Is Now Corrected. (2), and The Provider's First Aid/CPR Certification Expired in June of This Year. First Aid and CPR Must Be Current at All Times. Please Arrange to Take a CPR/First Aid Course as Soon as Possible. Send a Copy of Your Current CPR/First Aid Certification to OCC for the Correction of This Non-compliance. (1). None of the 9 findings were critical.

Inspection Visits

Jul 25, 2025 2 Findings ● 2 Important

- **During a Review of Children's Emergency Forms, It Was Found That Two Children, a Two Year Old Boy and a Seven Year Old Boy, Do Not Have Any Yearly Update at All. Four Other Children, Two Four Year Old Girls, a Five Year Old Girl and an Eight Year Old Girl Have Not Had Their Emergency Forms Updated**
13A.15.03.04A(3)
- **The Provider's First Aid/CPR Certification Expired in June of This Year. First Aid and CPR Must Be Current at All Times. Please Arrange to Take a CPR/First Aid Course as Soon as Possible. Send a Copy of Your Current CPR/First Aid Certification to OCC for the Correction of This Non-compliance.**
13A.15.06.02D(1)

Aug 16, 2024 3 Findings ● 3 Important

- **During a Review of Emergency Forms, It Was Found That a 3 Year Old Girl and a Six Year Old Boy Do Not Have Any Physician Information Listed on Their Emergency Forms. Please Notify the Respective Parents So That They May Add the Needed Information and Initial and Date the Form for the Updated Inform**
13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **During a Review of Children's Records, It Was Discovered That a 1 Year 11 Month Old Boy Does Not Have Any Evidence in His File of Having a Blood Lead Test. Children Are to Have a Blood Lead Test at 12 Months and at 24 Months of Age. Please Notify the Parent in Writing of the Need for Blood Lead Te**

13A.15.03.04C

- **During the Inspection, the Latch to the Cabinet Under the Sink in the Bathroom That the Children Use Was Not Working Properly. Containers of Cleaning Solutions to Include Bowl Cleaner, Alcohol Wipes and Hydrogen Peroxide Were Located in the Cabinet. When This Was Brought to the Attention of the Pro**

13A.15.10.02

Aug 4, 2023 4 Findings ● 4 Important

- **During a Review of Children's Records, It Was Discovered That the Emergency Card for Child, CD, Has Not Been Updated Since 04/14/2022. Emergency Cards Must Be Updated, at Least, on an Annual Basis. Please Have the Parent Review, Initial and Date the Emergency Card, Adding Updated Information as Ne**

13A.15.03.04A(3)

- **During the Inspection, Two Electrical Outlets, Within in Reach of Children Younger Than Five Years Old, Were Unused and Uncapped. When This Was Brought to the Attention of the Provider, She Capped Both of Them. Therefore, This Non-compliance Is Now Corrected.**

13A.15.05.04B(1)

- **During the Inspection, the Latch on One of the Doors Under the Bathroom Sink Was Not in Working Order. The Cabinet Contains Various Cleaning Chemicals Which Are Harmful to Children. When This Was Brought to the Attention of the Provider, She Adjusted the Latch. It Is Now in Working Order; Prevent**

13A.15.05.04B(3)

- **Provider Is Not Furnishing Milk with All Meals. Provider Reports That She Sometimes Furnishes Milk with Breakfast, but It Is 2% Milk to All Ages Rather Than the Required 1% or Skim Milk for Children Two Years Old and Older. Please Write a Letter of Correction Stating How You Will Become in Complia**

13A.15.12.01B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.