

Amped Up Family Amphitheatre

Crossroads Circle
Middle River, MD

2 Inspection Visits Since 2024 - 14 Findings

Most recent inspection: Feb 27, 2025

● 14 Important

Across 2 inspections since 2024, the issues cited most often were Ls Observed That Director Did Not Have 12 Hours of Required Training (3), Ls Observed That Teacher Did Not Have 12 Hours of Required Training (3), and Ls Observed That Aide Did Not Have Required Training per Year. (3). None of the 14 findings were critical.

Inspection Visits

Feb 27, 2025 2 Findings ● 2 Important

● **Ls Observed That Two Children Did Not Have the Doctors Information on the Emergency Card**

13A.16.03.04C

● **Ls Observed That Staffing Patterns Were Not Posted**

13A.16.03.05B

Mar 13, 2024 12 Findings ● 12 Important

● **Ls Observed That 5 Children's Emergency Cards Were Not Updated, Two Were Not Dated, and Three Had No Doctors Information.**

13A.16.03.04C

● **Ls Observed That Director Did Not Have 12 Hours of Required Training**

13A.16.06.05C(1)

● **Ls Observed That Director Did Not Have a Professional Development Plan Completed**

13A.16.06.05C(2)

● **Ls Observed That Director Did Not Have Basic Health and Safety Training.**

13A.16.06.05C(3)

● **Ls Observed That Teacher Did Not Have 12 Hours of Required Training**

13A.16.06.10C(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Ls Observed That Child Care Teacher Did Not Have a Professional Development Plan**
13A.16.06.10C(2)
- **Ls Observed That Teacher Did Not Have 12 Hours of Training**
13A.16.06.10C(3)
- **Ls Observed That Aide Did Not Have Required Training per Year.**
13A.16.06.12B(1)
- **Ls Observed That Aide Did Not Have Professional Development Plan**
13A.16.06.12B(2)
- **Ls Observed That Aide Did Not Have Basic Health and Safety Training**
13A.16.06.12B(3)
- **Ls Observed 1 Aide in a Classroom Alone with School Age Children No Qualified Assistant or Teacher .**
13A.16.07.06A
- **Ls Observed That Aide in a Room Alone with School Agers No Qualified Assistant or School Age Teacher**
13A.16.08.01A(2)(a)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.