

## White Oak Winners WOW

New Hampshire Ave  
Silver Spring, MD

### 2 Inspection Visits Since 2023 - 7 Findings

Most recent inspection: Nov 12, 2025

● 7 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed Several Children's Records Which Did Not Contain All Parts of the Health Assessment as Required. LS Supplied a Written List of the Children's Records Which Were Missing Information, to the Center. (2), The Operator Shall Designate Space for Mothers to Breastfeed or Express Breast Milk That Does Not Currently Have Access to an Electrical Outlet. The Center Provided a Work Order Which Has Been Submitted to the Building Facilities Entity GSA/FDA to Install Electricity. The Water Is Available in A (1), and A Playground to Parking Lot Access Door (With Alarm) Has Wooden Pieces Which Are Not Fully Attached, and May Present a Hazard to Children by Falling Onto Them. Center Provided a Work Order at Inspection Requesting the Repair by the Building Facilities Entity GSA/FDA. (1). None of the 7 findings were critical.

### Inspection Visits

**Sep 4, 2024** 3 Findings ● 3 Important

- **The Operator Shall Designate Space for Mothers to Breastfeed or Express Breast Milk That Does Not Currently Have Access to an Electrical Outlet. The Center Provided a Work Order Which Has Been Submitted to the Building Facilities Entity GSA/FDA to Install Electricity. The Water Is Available in A**  
13A.16.05.03C(2)
- **A Playground to Parking Lot Access Door (With Alarm) Has Wooden Pieces Which Are Not Fully Attached, and May Present a Hazard to Children by Falling Onto Them. Center Provided a Work Order at Inspection Requesting the Repair by the Building Facilities Entity GSA/FDA.**  
13A.16.05.12D
- **LS Observed Cleaning Products Under a Sink, Which Were Accessible to Children. Corrected by Removing at Inspection.**  
13A.16.10.04A

**Aug 1, 2023** 4 Findings ● 4 Important

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed a Number of Emergency Cards Which Were Not Maintained with All Required Information.- LS Supplied a Written List of the Children's Emergency Cards Which Were Missing Information to the Center.**  
13A.16.03.04C
- **LS Observed Several Children's Records Which Did Not Contain All Parts of the Health Assessment as Required. LS Supplied a Written List of the Children's Records Which Were Missing Information, to the Center.**  
13A.16.03.04D(1-2)
- **LS Observed Several Children's Records Which Did Not Contain All Parts of the Health Assessment as Required. LS Supplied a Written List of the Children's Records Which Were Missing Information, to the Center.**  
13A.16.03.04D(3)
- **LS Observed Several Children's Records Which Did Not Contain the Appropriate Lead Tests. LS Supplied a Written List of the Children's Records Which Were Missing Information, to the Center.**  
13A.16.03.04E

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.