

Kathy Cherry

Bowling Brooke Court
Upper Marlboro, MD

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Aug 27, 2025

● 3 Important

Across 2 inspections since 2024, the issues cited most often were LS Conducted a Mandatory Inspection Today and Observed 4 Children with Incomplete Emergency Forms and Not Annually Updated per the Regulation. (1), During a Full Inspection Licensing Specialist Observed One Child with Part 1 and Part 2 of the Health Assessment. (1), and While Conducting a Full Inspection Licensing Specialist Observed Toilet Handle in Restroom Designated for Child Care Is Broken. (1). None of the 3 findings were critical.

Inspection Visits

Aug 27, 2025 1 Finding ● 1 Important

- **LS Conducted a Mandatory Inspection Today and Observed 4 Children with Incomplete Emergency Forms and Not Annually Updated per the Regulation.**

13A.15.03.04A(3)

Aug 21, 2024 2 Findings ● 2 Important

- **During a Full Inspection Licensing Specialist Observed One Child with Part 1 and Part 2 of the Health Assessment.**

13A.15.03.02A

- **While Conducting a Full Inspection Licensing Specialist Observed Toilet Handle in Restroom Designated for Child Care Is Broken.**

13A.15.05.01B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.