

Khalida Ali

Basingstoke Ln
Silver Spring, MD

3 Inspection Visits Since 2024 - 14 Findings

Most recent inspection: May 6, 2026

● 14 Important

Across 3 inspections since 2024, the issues cited most often were LS Observed Emergency Forms That Were Not Updated Annually. (2), LS Observed Children Files That Were Missing the Appropriate Lead Screening. (2), and LS Observed Two Children in Care That the Provider Stated Was Only Doing Drop in for the Day. LS Only Observed an Emergency Form for Both Children. (1). None of the 14 findings were critical.

Inspection Visits

May 6, 2026 7 Findings ● 7 Important

● **LS Observed Two Children in Care That the Provider Stated Was Only Doing Drop in for the Day. LS Only Observed an Emergency Form for Both Children.**

13A.15.03.02A

● **LS Observed Emergency Forms That Were Not Updated Annually.**

13A.15.03.04A(3)

● **LS Observed Children Files That Were Missing the Appropriate Lead Screening.**

13A.15.03.04C

● **LS Observed Dishes in the Bathroom Sink, a Bathroom That Was Not in a State of Cleanliness.**

13A.15.05.03A

● **LS Observed Electrical Sockets That Were Not Plugged or Capped.**

13A.15.05.04B(1)

● **LS Observed a Blanket in the Play Pen with a Sleeping Child.**

13A.15.05.06F

● **LS Observed a Baby Sleeping in Bouncy Chair**

13A.15.05.06H

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Apr 16, 2025 6 Findings ● 6 Important

- **Licensing Specialist Was Not Able to Verify a Written Record of Each Day's Attendance Verified by the Child's Parent.**
13A.15.03.03B
- **Licensing Specialist Was Not Able to Observe a Substitute Record**
13A.15.03.03C
- **Licensing Specialist Observed Children Files That Were Missing Health Assessment Part One, and Two Children Files Missing the Second Lead Test.**
13A.15.03.04C
- **Licensing Specialist Observed Toys Outside That Needs to Cleaned.**
13A.15.05.05A
- **Licensing Specialist Observed Potentially Hazardous Products in the Bathroom in the Reach of Children.**
13A.15.10.02
- **Licensing Specialist Observed a Child That Was Swaddled Resting in a Playpen.**
13A.15.10.06B

May 9, 2024 1 Finding ● 1 Important

- **Licensing Specialist Observed One Emergency Form That Was Missing Physicians Information, and Was Not Update. Licensing Specialist Observed Siblings Sharing the Same Emergency Form.**
13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.