

Kimberly Hutson

Woodmoor Road
Stevensville, MD

1 Inspection Visit Since 2023 · 9 Findings

Most recent inspection: Nov 5, 2025

● 9 Important

Across 1 inspection since 2023, the issues cited most often were Provider Did Not Have an Emergency Form for Two Children. (3), Provider Needs to Ensure That the License Is Displayed and Easily Seen by Parents. It Was Located on the Back of a Storage Shelf That Was Not in a Conspicuous Location. Provider Moved It During the Inspection to the Side Where It Is More Visable. (1), and Provider Is Not Keeping Consistent Attendance Records. Not All the Names Are Written, Times Are Missing and Parents Verification Is Missing for Some. Provider Could Not Produce Prior Records From Previous Weeks. (1). None of the 9 findings were critical.

Inspection Visits

Oct 26, 2023 9 Findings ● 9 Important

- **Provider Needs to Ensure That the License Is Displayed and Easily Seen by Parents. It Was Located on the Back of a Storage Shelf That Was Not in a Conspicuous Location. Provider Moved It During the Inspection to the Side Where It Is More Visable.**

13A.15.02.01D

- **Provider Is Not Keeping Consistent Attendance Records. Not All the Names Are Written, Times Are Missing and Parents Verification Is Missing for Some. Provider Could Not Produce Prior Records From Previous Weeks.**

13A.15.03.03B

- **Provider Did Not Have an Emergency Form for Two Children.**

13A.15.03.04A(1)

- **Provider Needs to Ensure That the Emergency Cards Are Easily Accessible.**

13A.15.03.04A(2)

- **Provider Needs to Obtain a Parent Update for One Child.**

13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Needs to Ensure That Highchairs Are Cleaned After Each Use. LS Observed One High Chair That Was Not Clean.**

13A.15.05.03A

- **LS Observed a Potty-chair on the Floor Under the Food Service Area.**

13A.15.05.03F(2)

- **LS Observed Cleaning Supplies Under the Bathroom Sink in a Cabinet That Did Not Have a Safety Lock, a Cleaning Agent on the Desk in the Play Area, and Hair Products the Had "Keep Out of Reach to Children" on the Label, on the Bathroom Sink and in a Bag That Was in the Bathroom. These Products Were**

13A.15.10.02

- **Provider's Small Refrigerator That Was Storing the Children's Lunches Was at 60 Degrees F. Provider Stated That the Door Must Not Have Been Closed. LS Checked the Temperature After a Period of Time and the Temperature Was 49 Degrees F. Provider Needs to Not Use the Refrigerator if the Temperature**

13A.15.12.02B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.