

Shelley Burnside

Deerfield Road
Pikesville, MD

2 Inspection Visits Since 2026 - 14 Findings

Most recent inspection: Mar 20, 2026

● 14 Important

Across 2 inspections since 2026, the issues cited most often were LS Observed That One of the Emergency Forms Need Physician's Information Added to the Form. The Provider Will Have the Parent Complete the Form and Will Email the LS a Statement of Correction. (3), The Provider Completed Her 18 Hours, During Her Second Year. (3), and The LS Observed That the Provider Missed Conducting January's Fire Drill. The Provider Will Submit a Statement to the LS That Fire Drills Will Be a Monthly Routine and Practice. (2). None of the 14 findings were critical.

Inspection Visits

Mar 20, 2026 10 Findings ● 10 Important

- **The Provider Had Her License Number on Her Sign; Unfortunately It Blew Away. The Provider Will Put It Back on Her Sign and with Send the LS a Picture to Document the Correction.**

13A.15.03.01B

- **The LS Observed That the Provider Has Her Contract and Fees, but There Is No Evidence Parents Received It.**

13A.15.03.03A

- **The LS Observed That There Was No Documentation in Reference to the Guide to Regulated Child Care.**

13A.15.03.03E

- **LS Observed That One of the Emergency Forms Need Physician's Information Added to the Form. The Provider Will Have the Parent Complete the Form and Will Email the LS a Statement of Correction.**

13A.15.03.04A(3)

- **The Provider Will Erect a Barrier to Enclose the Main Yard From the Children's Play Area.**

13A.15.05.05B

- **The Provider Completed Her 18 Hours, During Her Second Year.**

13A.15.06.02B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Hasn't Completed Her 12 Continuing Hours to Date. Once She Has Completed Them She Will Send the LS a Copy of All Certificates and Completed Professional Development Plan Form.**
13A.15.06.02B(3)
- **The LS Observed That the Provider Missed Conducting January's Fire Drill. The Provider Will Submit a Statement to the LS That Fire Drills Will Be a Monthly Routine and Practice.**
13A.15.10.01A(3)
- **The Provider's Emergency Plan Needs to Be Updated.**
13A.15.10.01A(4)
- **The Provider Needs to Put All Items in Her Kit So It Is Readily Accessible. The Kit Is Missing the Following Items.: Antiseptic Wipes, Large Gauze Pad, 1 Roll of Flexible Gauze, Safety Pins, Paper/plastic Bag, and a Whistle. The Provider Will Purchase the Required Items and Place in the Kit.**
13A.15.10.01H(1)

Feb 4, 2026 4 Findings ● 4 Important

- **The LS Observed That One Child the Provider's Granddaughter That Is Enrolled Doesn't Have an Emergency Form.**
13A.15.03.04A(1)
- **The LS Observed That K.D's Form Needs to Be Updated, and S.R's Emergency Form Needs the Bottom Portion, Both Forms Need the Back Page Completed. The LS Will Email the Provider a Copy of the Emergency Form. The Provider Will Send the LS Corrections as Soon as Possible.**
13A.15.03.04A(3)
- **The Provider Needs to Clean Up Room 2 It Is Filled with Christmas Items That Need to Be Placed in Storage and Could Pose Hazards to the Children. The Provider Will Clean Up Room 2 and Will Send the LS Pictures.**
13A.15.05.04A(3)
- **The Provider Hasn't Completed the Updated Basic Health and Safety Training.**
13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.