

Lesley Wood

River Run
Columbia, MD

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Oct 9, 2025

● 3 Important

Across 2 inspections since 2023, the issues cited most often were LS Did Not Observe All of the Required Information on Each Child's Form. Provider Must Immediately Submit Evidence of Correction. (2) and LS Did Not Observe Evidence of the Required Lead Test for All Children Born on or After January 1, 2015. Provider Must Immediately Submit Evidence of Lead Testing or an Appointment to Obtain One From a Health Care Provider. (1). None of the 3 findings were critical.

Inspection Visits

Oct 9, 2025 2 Findings ● 2 Important

- **LS Did Not Observe Evidence of the Required Lead Test for All Children Born on or After January 1, 2015. Provider Must Immediately Submit Evidence of Lead Testing or an Appointment to Obtain One From a Health Care Provider.**

13A.15.03.02B

- **LS Did Not Observe All of the Required Information on Each Child's Form. Provider Must Immediately Submit Evidence of Correction.**

13A.15.03.04A(1)

Oct 11, 2023 1 Finding ● 1 Important

- **LS Did Not Observe All of the Required Information on Two Emergency Forms. Provider Must Submit Evidence of Correction Immediately.**

13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.