

Abaynesh Abate

Burnt Mills Avenue
Silver Spring, MD

3 Inspection Visits Since 2023 - 11 Findings

Most recent inspection: Nov 4, 2025

● 11 Important

Across 3 inspections since 2023, the issues cited most often were Licensing Specialist Observed One Emergency Form That Was Not Properly Maintained. (2), A Child in Care Was Observed Asleep in a Furnishing Other Than a Crib. A Child Under 12 Months of Age Who Falls Asleep in a Furnishing Other Than a Crib Shall Be Immediately Moved to an Approved Resting Place. (1), and A Child in Care May Not Be Subjected to Abuse, Neglect, Mental Injury, or Injurious Treatment. (1). None of the 11 findings were critical.

Inspection Visits

Nov 4, 2025 5 Findings ● 5 Important

- **A Child in Care Was Observed Asleep in a Furnishing Other Than a Crib. A Child Under 12 Months of Age Who Falls Asleep in a Furnishing Other Than a Crib Shall Be Immediately Moved to an Approved Resting Place.**
13A.15.05.06H
- **A Child in Care May Not Be Subjected to Abuse, Neglect, Mental Injury, or Injurious Treatment.**
13A.15.07.01
- **The Provider Shall Ensure the Safety and Security of Each Child at All Times. A Child in Care Was Asleep in a Car Carrier for About 50 Minutes.**
13A.15.07.07A
- **A Resting or Napping Child 2 Years Old or Older Shall Be Observed by the Provider to Ensure the Child's Safety at Intervals of at Least Every 15 Mintues.**
13A.15.08.01D(2)(b)
- **A Child Unless Specified in Writing by the Child's Physician the Child May Not Be Placed in Anything Other Than an Approved Rest Furnishing.**
13A.15.10.06B

Aug 23, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed One Emergency Form That Was Not Properly Maintained.**
13A.15.03.04A(1)

Oct 13, 2023 5 Findings ● 5 Important

- **Licensing Specialist Observed More Than 2 Children in Care Without Evidence of Appropriate Lead Screening Test.**
13A.15.03.02B
- **Licensing Specialist Observed a Child's Record That Was Not Updated. Each Child's Emergency Form Shall Be Updated as Needed and at Least Annually and Signed and Dated by the Parent.**
13A.15.03.04A(3)
- **Licensing Specialist Observed Sink the Child Care Space with Temp That Exceeds 120. Provider Is to Lower the Temperature of the Home's Water Heater.**
13A.15.05.01E
- **Licensing Specialist Observed Outdoor Area with Conditions That Are Dangerous to the Health and Safety to the Children in Care.**
13A.15.05.05A
- **Licensing Specialist Observed a First Aid Kit That Was Not Properly Maintained. First Aid Kit Was Missing Ice Bag or Chemical Pack.**
13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.