

## Fauzia Iqbal

E Melbourne Avenue  
Silver Spring, MD

### 3 Inspection Visits Since 2023 - 10 Findings

Most recent inspection: Jul 8, 2025

● 10 Important

Across 3 inspections since 2023, the issues cited most often were Each Child in Care Emergency Forms Must Be Maintained. More Than 8 Children in Care Did Not Have Properly Maintained Emergency Forms. (4), L.S. Observed a Railing on a Playground That Is Broken. The Railing Missing Is a Fall and Entrapment Hazard. (2), and Licensing Specialist Observed That 10 Children in Care Are Without Lead Screenings. (1). None of the 10 findings were critical.

### Inspection Visits

**Jul 8, 2025** 1 Finding ● 1 Important

● **Each Child in Care Emergency Forms Must Be Maintained. More Than 8 Children in Care Did Not Have Properly Maintained Emergency Forms.**

13A.18.03.04C

**Aug 6, 2024** 1 Finding ● 1 Important

● **Licensing Specialist Observed More Than 9 Children That Did Not Have Their Emergency Form Updated Annually. An Emergency Form Must Be Maintained and Updated as Needed but at Least Annually,**

13A.18.03.04C

**Aug 31, 2023** 8 Findings ● 8 Important

● **L.S. Observed One Child in Care Without an Emergency Form.**

13A.18.03.04C

● **L.S. Observed One Child in Care Without an Emergency Card.**

13A.18.03.04C

● **Licensing Specialist Observed That 10 Children in Care Are Without Lead Screenings.**

13A.18.03.04E

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed Paint Can, and Blower in the Outdoor Child Care Space.**  
13A.18.05.12D
- **L.S. Observed a Railing on a Playground That Is Broken. The Railing Missing Is a Fall and Entrapment Hazard.**  
13A.18.05.12E
- **Licensing Specialist Observed a Rail on the Playground That Was Broken. The Rail Is a Fall and an Entrapment.**  
13A.18.05.12E
- **L.S. Observed Staff Without Updated Medicals.**  
13A.18.06.04A(4)
- **L.S. Observed No Regular Staff with a Current First Aid and Cpr. First Aide and Cpr Shall Have No Lapses.**  
13A.18.10.02A(1)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.