

Teresa Tranmer

Cedar Beach Drive
Prince Frederick, MD

3 Inspection Visits Since 2024 · 6 Findings

Most recent inspection: Jan 6, 2026

● 6 Important

Across 3 inspections since 2024, the issues cited most often were During a Review of Children's Emergency Cards, It Was Found That a Four Year Old Girl's Emergency Card Is Missing Her Physician's Address. Please Have the Parent Add the Physician's Address to the Form. Send a Copy of the Emergency Form with the Added Information to OCC for the Correction of This (2), Provider Reports That She Completed MSDE's 2023 Basic Health and Safety Update, but She Cannot Produce Any Evidence of Having Done So. This Update Was Due by 03/31/2024. Please Find the Certificate of Completion for MSDE's 2023 Basic Health and Safety Update and Send It to OCC or Take the 2023 BHS (1), and Two of the Drawers in the Kitchen Contain Hazardous Items That Were Not Secured. Provider Has Plastic Latches on Both Drawers, but at the Time of the Inspection, They Were Not Keeping the Drawer From Being Opened. During the Inspection, the Provider Adjusted the Latches. They Now Are in Proper Wo (1). None of the 6 findings were critical.

Inspection Visits

Jan 6, 2026 2 Findings ● 2 Important

- **During a Review of Children's Emergency Cards, It Was Found That a Four Year Old Girl's Emergency Card Is Missing Her Physician's Address. Please Have the Parent Add the Physician's Address to the Form. Send a Copy of the Emergency Form with the Added Information to OCC for the Correction of This**
13A.15.03.04A(1)
- **During a Review of Children's Emergency Cards, It Was Found That a Four Year Old Girl's Emergency Card Has Not Been Updated Since November of 2024. Emergency Forms Must Be Reviewed and Updated, at Least, on an Annual Basis. Please Have the Parent Review the Form for Accuracy and Initial and Date T**
13A.15.03.04A(3)

Dec 18, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Reports That She Completed MSDE's 2023 Basic Health and Safety Update, but She Cannot Produce Any Evidence of Having Done So. This Update Was Due by 03/31/2024. Please Find the Certificate of Completion for MSDE's 2023 Basic Health and Safety Update and Send It to OCC or Take the 2023 BHS**

13A.15.06.02B(1)

Jan 10, 2024 3 Findings ● 3 Important

- **Two of the Drawers in the Kitchen Contain Hazardous Items That Were Not Secured. Provider Has Plastic Latches on Both Drawers, but at the Time of the Inspection, They Were Not Keeping the Drawer From Being Opened. During the Inspection, the Provider Adjusted the Latches. They Now Are in Proper Wo**

13A.15.05.04B(3)

- **The Provider's First Aid and CPR Certification Expired in 10/2023. The Provider Did Not Get Recertified in First Aid and CPR Until 12/2023. There Cannot Be Any Lapse in This Certification. Since the Provider Is Now Current in First Aid and CPR, This Non-compliance Is Already Corrected.**

13A.15.06.02D(1)

- **During the Inspection, There Was No Evidence That the Provider's Emergency Disaster Plan Has Been Reviewed and Updated Since Its Creation. The Written Emergency Disaster Plan Must Be Updated, at Least Annually. During the Inspection, the Provider Reviewed Her Emergency Disaster Plan for Accuracy,**

13A.15.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.