

Claudette Proctor

Wooded Way
Hyattsville, MD

2 Inspection Visits Since 2023 · 6 Findings

Most recent inspection: Aug 20, 2025

● 6 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed That the Emergency Forms for Seven Children Need to Be Updated. (1), LS Observed Wheel Barrow and Bags of Soil in the Outdoor Play Area. (1), and LS Observed Evidence of Soiled and Stains Located Inside of the Toilet Bowl Area. LS Observed Evidence of Rust Present on the Baseboard Heating and Without a Heating Barrier to Protect Children From the Heating Element. (1). None of the 6 findings were critical.

Inspection Visits

Aug 20, 2025 2 Findings ● 2 Important

● **LS Observed That the Emergency Forms for Seven Children Need to Be Updated.**

13A.15.03.04A(3)

● **LS Observed Wheel Barrow and Bags of Soil in the Outdoor Play Area.**

13A.15.05.05A

Oct 5, 2023 4 Findings ● 4 Important

● **LS Observed Evidence of Soiled and Stains Located Inside of the Toilet Bowl Area. LS Observed Evidence of Rust Present on the Baseboard Heating and Without a Heating Barrier to Protect Children From the Heating Element.**

13A.15.05.03A

● **LS Observed Evidence of a Pillow Cover with a Cotton Cover Being Used for Diapering.**

13A.15.05.03E(3)

● **LS Observed Evidence of Urine Present with an Odor Present During the Mandatory Inspection.**

13A.15.05.03F(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed One Porta Crib with a Hole in the Netting of the Porta Crib. LS Observed Evidence of Another Porta Crib in a Restricted Room. Please Submit Proof of Purchase for One Porta Crib as of This Date.**

13A.15.05.06C(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.