

Diann Mello

Jordan Court
Salisbury, MD

2 Inspection Visits Since 2023 · 7 Findings

Most recent inspection: Jul 24, 2025

● 7 Important

Across 2 inspections since 2023, the issues cited most often were Provider Did Not Complete the Health and Safety Training Prior to the Required Date of March 31, 2024. However, the Provider Has Since Completed the Training. (1), The Substitute's Original Federal and State Criminal Background Check (CBC) Was Completed on May 16, 2019. The 5-year Reprints Were Due in May 2024 and Have Not Yet Been Completed. (1), and Missing an Emergency Card and Health Inventory on 1 Child (EW); Missing Health Inventory. (1). None of the 7 findings were critical.

Inspection Visits

Aug 20, 2024 2 Findings ● 2 Important

- **Provider Did Not Complete the Health and Safety Training Prior to the Required Date of March 31, 2024. However, the Provider Has Since Completed the Training.**

13A.15.03.03G

- **The Substitute's Original Federal and State Criminal Background Check (CBC) Was Completed on May 16, 2019. The 5-year Reprints Were Due in May 2024 and Have Not Yet Been Completed.**

13A.15.06.03D(4)

Jul 31, 2023 5 Findings ● 5 Important

- **Missing an Emergency Card and Health Inventory on 1 Child (EW); Missing Health Inventory.**

13A.15.03.04C

- **Diapering Mat Has Torn and Provider Is Using Tape to Keep Holes Covered and Mat Together, Mat Needs to Be Replaced.**

13A.15.05.03E(3)

- **In Bathroom Was Using a 6 Plug Piece. During Inspection That Piece Was Removed and the 2 Plugs Were Covered**

13A.15.05.04B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **There Are at Least 5 Pallets That Are Leaning Against Each Other, per Provider They Were Going to Build Something, but It Did Not Work Out. Because the Pallets Are Leaning Against Each Other and Could Fall They Need to Be Removed From the Chiid Care Outdoor Play Area.**

13A.15.05.05A

- **Providers Certificate in CPR & First Aid Expired in May 2023.**

13A.15.06.02D(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.