

Sanbridge Early Learning Center Bond Mill Elementary School

Sherwood Avenue
Laurel, MD

1 Inspection Visit Since 2026 · 2 Findings

Most recent inspection: Feb 20, 2026

● 2 Important

Across 1 inspection since 2026, the issues cited most often were This Regulation Was Discussed at the Time of the Inspection. The Facility Did Not Report the Incident Directly to Protective Services. The Facility Stated That the Incident Was Reported to the Parent and the Principal of the School. The Principal of the School Reported the Incident to Protective Ser (1) and The Facility Did Not Report the Incident Directly to Protective Services. The Facility Stated That the Incident Was Reported to the Parent and the Principal of the School Once the Second Incident Occurred . The Principal of the School Reported the Incident to Protective Services. The Facility Stated (1). None of the 2 findings were critical.

Inspection Visits

Feb 20, 2026 2 Findings ● 2 Important

- **This Regulation Was Discussed at the Time of the Inspection. The Facility Did Not Report the Incident Directly to Protective Services. The Facility Stated That the Incident Was Reported to the Parent and the Principal of the School. The Principal of the School Reported the Incident to Protective Ser**
13A.16.07.02A(1)
- **The Facility Did Not Report the Incident Directly to Protective Services. The Facility Stated That the Incident Was Reported to the Parent and the Principal of the School Once the Second Incident Occurred . The Principal of the School Reported the Incident to Protective Services. The Facility Stated**
13A.16.07.06A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.