

Asha Shafiq

Blacksmith Court
Reisterstown, MD

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Feb 13, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Licensing Observed 4 Exposed Light Bults in the Day Care Area. (1), In the Backyard, Licensing Specialist Observed a Large Tree Branch and Some Broken Tree Branches Hanging From the Large Tree. Please Correct. (1), and The Provider Did Not Have Crib Sheets. (1). None of the 5 findings were critical.

Inspection Visits

Feb 13, 2026 5 Findings ● 5 Important

● **Licensing Observed 4 Exposed Light Bults in the Day Care Area.**

13A.15.05.01D

● **In the Backyard, Licensing Specialist Observed a Large Tree Branch and Some Broken Tree Branches Hanging From the Large Tree. Please Correct.**

13A.15.05.05A

● **The Provider Did Not Have Crib Sheets.**

13A.15.05.06A

● **The Provider Did Not Have Materials Supporting: Mathematical and Scientific Thinking, Creative Arts, and Social Studies.**

13A.15.09.02A(2)

● **First Aid Kit Was Missing: Band Aids, Batteries for Flashlight, Thick Gauze Pad, Safety Pins, Scissors, Fragrance Free Soap, and a Whistle.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.