

Jennifer Karol

Wilson Ave
Abingdon, MD

2 Inspection Visits Since 2023 · 10 Findings

Most recent inspection: Nov 4, 2025

10 Important

Across 2 inspections since 2023, the issues cited most often were At the Time of the Inspection, Child Proof Devices Are Missing on the Bedroom Doors. A Pizza Cutter and Tools Are in Drawers That Are Missing Child Proof Devices. (3), At the Time of the Inspection, Specialist Observed Dog Food and Water Accessible to Children in Care. In the Lower Level Bathroom Shampoo, and Conditioner Are on the Bathtub Edge Accessible to Children in Care. (2), and At the Time of the Inspection, 2 Children Are Missing Evidence of Lead Testing/screening. (1). None of the 10 findings were critical.

Inspection Visits

Nov 4, 2025 5 Findings 5 Important

- **At the Time of the Inspection, 2 Children Are Missing Evidence of Lead Testing/screening.**
13A.15.03.02B
- **At the Time of the Inspection, Parent Agreements/contracts Were Not in the Children's Files.**
13A.15.03.03A
- **At the Time of the Inspection, Child Proof Devices Are Missing on the Bedroom Doors. A Pizza Cutter and Tools Are in Drawers That Are Missing Child Proof Devices.**
13A.15.05.04B(3)
- **A New Hole Has Been Dug for a Possible Pond and Contains a Couple Inches of Water. That Part of the Yard Does Have a Gate and Can Be Made Inaccessible, and Needs to Be Restricted From Child Care Use.**
13A.15.05.05B
- **At the Time of the Inspection, Specialist Observed Dog Food and Water Accessible to Children in Care. In the Lower Level Bathroom Shampoo, and Conditioner Are on the Bathtub Edge Accessible to Children in Care.**
13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Nov 21, 2023 5 Findings ● 5 Important

- **At the Time of the Inspection the LS Checked the Downstairs Childcare Area and Observed a Cap Missing From a Wall Outlet. The Provider Stated It Was Taken Out for the Tree She Was Going to Put Up. She Replaced the Cap.**

13A.15.05.04B(1)

- **At the Time of the Inspection the LS Checked the Bathroom's Cabinet, It Was Unlocked and Contained Shampoo and Conditioner in Reach of the Children. Provider Stated She Will Remove the Items From Under the Cabinet and Place on Top of the Self.**

13A.15.05.04B(3)

- **At the Time of the Inspection the LS Checked the 1st Aid Supplies and Observed the Gauze/surgical Pad or Sanitary Napkin, Tweezer, and Tape Were Missing. The Provider Was Able to Replace the Tape.**

13A.15.10.01H(1)

- **At the Time of the Inspection the LS Checked the Kitchen Area and the Dog Food Did Not Have a Cover on It. In the Bathroom the Plunger and Toilet Brush Was Left in Reach of the Children.**

13A.15.10.02

- **At the Time of the Inspection the LS Checked the Refrigerator for the Milk and Observed Whole Milk in the Refrigerator. The LS Informed the Provider the Milk Will Have to Be 1% or Nonfat Unless Otherwise Requested by Health Care Provider or the Parent.**

13A.15.12.01D

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.