

Yinka Oshin-Akindolie

Foxglove Way
Upper Marlboro, MD

3 Inspection Visits Since 2023 · 7 Findings

Most recent inspection: Oct 2, 2025

● 7 Important

Across 3 inspections since 2023, the issues cited most often were LS Conducted a Mandatory Inspection Today and Observed 5 Children Without Updated Emergency Forms. Per the Regulations Emergency Forms Must Be Updated at Least Annually. (3), While Conducting a Full Inspection Licensing Specialist Observed 2 Children Without Part 1 of the Health Assessment Not Completed and 2 Children Without Part 1 and Part 2 of the Health Assessment on File. Per Regulations Health Assessments Shall Be Obtained for Enrollment. (1), and During Full Inspection Licensing Specialist Observed One Child Without Lead Testing Records on File. Per Regulation Lead Testing Must Be Obtained at 12 Months and 24 Months Old. (1). None of the 7 findings were critical.

Inspection Visits

Oct 2, 2025 1 Finding ● 1 Important

- **LS Conducted a Mandatory Inspection Today and Observed 5 Children Without Updated Emergency Forms. Per the Regulations Emergency Forms Must Be Updated at Least Annually.**

13A.15.03.04A(3)

Aug 21, 2024 5 Findings ● 5 Important

- **While Conducting a Full Inspection Licensing Specialist Observed 2 Children Without Part 1 of the Health Assessment Not Completed and 2 Children Without Part 1 and Part 2 of the Health Assessment on File. Per Regulations Health Assessments Shall Be Obtained for Enrollment.**

13A.15.03.02A

- **During Full Inspection Licensing Specialist Observed One Child Without Lead Testing Records on File. Per Regulation Lead Testing Must Be Obtained at 12 Months and 24 Months Old.**

13A.15.03.02D(2)

- **Licensing Specialist Conducted a Full Inspection and Observed 2 Children Without Emergency Forms on File.**

13A.15.03.04A(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **While Conducting a Full Inspection Licensing Specialist Observed 2 Children That Did Not Have Annually Updated Emergency Forms.**

13A.15.03.04A(3)

- **During Inspection Licensing Specialist Observed Provider Completing Diaper Change Without Following Procedures. Provider Stated That She Used Hand Sanitizer, Warmed Child's Bottle and Washed Her Hands. Specialist Did Not Witness This.**

13A.15.05.03E(2)

Aug 23, 2023 1 Finding ● 1 Important

- **Licensing Specialist Observed Broken Play Equipment. The Big Slide on the Right Play Area Stand Is Broken. The Monkey Bar on the Left Play Area Is Broken. Broken Toys Under the Deck Are Not in Use. There Is Still Ample Play Space for Children.**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.