

Nancy Arney

Cavenrock Court
Frederick, MD

3 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Aug 13, 2025

● 5 Important

Across 3 inspections since 2023, the issues cited most often were At the Time of Inspection, Licensing Specialist Observed 3 Children's Records That Were Missing Evidence of an Appropriate Lead Screening. One Child's Record Was Missing Health Inventory Part I. (2), At the Time of Inspection, Licensing Specialist Observed No Evidence That the Home's Emergency and Disaster Plan Was Updated at Least Annually. The Provider Updated the Plan During the Inspection. (1), and At the Time of Inspection, Licensing Specialist Observed No Evidence of Emergency Forms for 3 Enrolled Children. One Child's Emergency Form Was Missing the Child's Source of Health Care. (1). None of the 5 findings were critical.

Inspection Visits

Aug 13, 2025 2 Findings ● 2 Important

● **At the Time of Inspection, Licensing Specialist Observed 3 Children's Records That Were Missing Evidence of an Appropriate Lead Screening. One Child's Record Was Missing Health Inventory Part I.**

13A.15.03.04C

● **At the Time of Inspection, Licensing Specialist Observed No Evidence That the Home's Emergency and Disaster Plan Was Updated at Least Annually. The Provider Updated the Plan During the Inspection.**

13A.15.10.01A(4)

Jul 22, 2024 1 Finding ● 1 Important

● **At the Time of Inspection, Licensing Specialist Observed No Evidence of Emergency Forms for 3 Enrolled Children. One Child's Emergency Form Was Missing the Child's Source of Health Care.**

13A.15.03.04A(1)

Aug 29, 2023 2 Findings ● 2 Important

● **Licensing Specialist Observed 2 Children's Records That Were Missing Health Inventory Part I and II.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of Inspection, Licensing Specialist Observed No Evidence of 2 Gauze Rolls in the Home's First Aid Kit.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.