

# Leaps & Bounds Learning Center

Second Avenue  
Carney, MD

## 3 Inspection Visits Since 2024 - 14 Findings

Most recent inspection: Mar 25, 2026

● 14 Important

Across 3 inspections since 2024, the issues cited most often were LS Did Not Observe Health Assessments for 11 Infant Toddler Children. (2), LS Did Not Observe Lead Testing for Infant Toddler Children SG, TN, ZM, and SB. (2), and Current and Completed Personnel List Not Observed. (1). None of the 14 findings were critical.

## Inspection Visits

**Mar 25, 2026** 4 Findings ● 4 Important

● **Current and Completed Personnel List Not Observed.**

13A.16.03.05A

● **Phone in 6C Observed Not Operating. Room 6A and 6B Observed Without a Phone. Correct Immediately.**

13A.16.05.10C

● **Primary Lists Not Observed in Room 6A, 6B, and 6C.**

13A.16.09.02A

● **6A Observed with Uncover Outlet Cover. Correct Immediately.**

13A.16.10.04F

**Mar 17, 2025** 6 Findings ● 6 Important

● **LS Did Not Observe Recent Fire Inspection.**

13A.16.02.03C(4)

● **LS Did Not Observe Emergency Forms for 10 Infant Toddler Children.**

13A.16.03.04C

● **LS Did Not Observe Health Assessments for 11 Infant Toddler Children.**

13A.16.03.04D(3)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Did Not Observe Lead Testing for Infant Toddler Children SG, TN, ZM, and SB.**

13A.16.03.04E

- **LS Di Not Observe Liquid Fragrance Free Soap, Tape, and Tweezers in First Aid Kit.**

13A.16.10.02E

- **Did Not Observe Allergy Authorization Plan for Child MW.**

13A.16.11.04A(1)(b)

**Jul 30, 2024** 4 Findings ● 4 Important

- **LS Observed Child LE Was Missing H1 & H2. LS Observed Several Infant Files Missing Records.**

13A.16.03.04D(3)

- **LS Observed Child LE Missing Lead Testing.**

13A.16.03.04E

- **LS Observed 12 Children in Room 4 with a Capacity of 9.**

13A.16.04.01B

- **LS Did Not Observe a Screen Time Policy in the Parent Contract.**

13A.16.09.01C(6)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.