

Inspiring Dreams Learning Center

Doolittle Drive
Waldorf, MD

5 Inspection Visits Since 2023 - 11 Findings

Most recent inspection: Jun 6, 2025

● 11 Important

Across 5 inspections since 2023, the issues cited most often were Some of the Cribs Did Not Have Tight Fitting Crib Sheets. The Director From the Owner's Other Center Brought Over Some Correctly Fitting Sheets and They Were Changed. (2), One Aide Needs to Complete the Original Basic Health and Safety Training. She Will Need to Register for the Course One Month and Then Complete It the Following Month. Please Send a Copy of the Training Certificate to Licensing Once Completed. (1), and At the Time a Complaint Inspection Was Being Conducted, It Was Noted That There Were a Couple Times This Week When There Were Too Many Two Year Old Children with One Staff. One May 9th, It Was Documented That There Were 8 Two Year Old Children with One Staff Person at 9:00 AM and the Same Staff Pers (1). None of the 11 findings were critical.

Inspection Visits

Jun 6, 2025 1 Finding ● 1 Important

- **One Aide Needs to Complete the Original Basic Health and Safety Training. She Will Need to Register for the Course One Month and Then Complete It the Following Month. Please Send a Copy of the Training Certificate to Licensing Once Completed.**

13A.16.06.12A(3)

May 10, 2024 1 Finding ● 1 Important

- **At the Time a Complaint Inspection Was Being Conducted, It Was Noted That There Were a Couple Times This Week When There Were Too Many Two Year Old Children with One Staff. One May 9th, It Was Documented That There Were 8 Two Year Old Children with One Staff Person at 9:00 AM and the Same Staff Pers**

13A.16.08.03C(2)

Apr 8, 2024 4 Findings ● 4 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Complaint Alleges There Are 12 Children Enrolled in the Preschool Classroom of Which the Capacity Is 8 and 14 Children Enrolled in the Two Year Old Room of Which the Capacity Is 12. It Is Reported There Are 2 Staff in the Preschool Room and 3 Staff in the Two Year Old Room. The Complainant State**
13A.16.04.01B
- **There Are Two Teachers Who Owe 7.5 Hours of Continued Training. Please Forward Copies of the Completed Training Certificates to the Licensing Specialist. There Is One Infant/toddler Teacher Who Needs to Complete the Basic Health and Safety Update.**
13A.16.06.09C
- **The Two Year Old Room Had 2 Aides Present Until the Qualified Staff Arrived. The One Aide Only Needs One Year of Documented Experience From Her Previous Center to Be Preschool Teacher Qualified. She Will Request That From the Previous Center as Soon as Possible.**
13A.16.08.02B
- **Some of the Cribs Did Not Have Tight Fitting Crib Sheets. The Director From the Owner's Other Center Brought Over Some Correctly Fitting Sheets and They Were Changed.**
13A.16.09.04A(4)(a)

Jan 26, 2024 1 Finding ● 1 Important

- **The Center Self Reported an Incident That Occurred on 1/24/2024. The School Age Teacher Returned to the Center After the Morning Van Runs and Parked the Van in the Salvation Army Parking Lot Across the Street. He Returned to the Building and Was Cleaning the School Age Room. Approximately 10-15 Minu**
13A.16.08.01A(2)(b)

Jul 6, 2023 4 Findings ● 4 Important

- **There Are Multiple Children Who Need Documentation of Updated Immunizations. KH Is Missing Part I of the Health Inventory as Well as the Bottom Half of Her Emergency Card Is Not Completed. Please Ensure All Children's Files Are Complete and Up to Date.**
13A.16.03.02A
- **When Reviewing the Children's Files, There Were Multiple Children Enrolled in the Infant or Toddler Classrooms That Need Documentation of the Lead Blood Test. Please Ensure the Parents Follow Up with the Physician to Either Obtain the Documentation or Schedule the Lead Blood Test.**
13A.16.03.02E
- **The Bathroom in the Front Preschool Classroom Does Not Appear to Have a Working Fan and It Is an Interior Room. The Fan Should Turn on When the Light Is Turned on but You Cannot Hear the Fan Running Like You Are Able to in the Other Bathrooms. The Owner Stated She Will Have an Electrician Check The**
13A.16.05.08G(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Some of the Cribs Have Sheets That Are Not Tight Fitting. Please Ensure All Sheets Are Tight Fitting and Made for the Crib Size.**

13A.16.09.04A(4)(a)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.