

Tina Stokes

Midland Road
Edgewater, MD

1 Inspection Visit Since 2025 · 14 Findings

Most recent inspection: Aug 20, 2025

● 14 Important

Across 1 inspection since 2025, the issues cited most often were Licensing Specialist Did Not Observe an Emergency Form for One Child Present and Three Incomplete Emergency Forms. (3), On August 10, 2025, the Provider Discovered That Her Kitchen Floor Was Water Damaged Due to a Fault Water Jug Placed on a Water Cooler. The OCC Was Not Notified About This. (2), and One Child Is Present Today Without a Complete Emergency Form. Provider Stated This Child's First Day Is Today. (1). None of the 14 findings were critical.

Inspection Visits

Aug 20, 2025 14 Findings ● 14 Important

- **One Child Is Present Today Without a Complete Emergency Form. Provider Stated This Child's First Day Is Today.**

13A.15.03.02A

- **Licensing Specialist Did Not Observe Blood Lead Testing for Two Enrolled Children.**

13A.15.03.02B

- **Provider Stated That She Stopped Tracking Attendance Since Previous Licensing Specialist Never Looked at It When She Asked Them About It. Corrected During Inspection. Provider Stated During the Inspection That She Will Begin Tracking Attendance and Having Parents Sign Children in and Out of Care.**

13A.15.03.03B

- **Provider Stated That She Was Never Asked to Record Dates on Which a Substitute Provides Care in Place of the Provider. Provider Demonstrated Evidence of a Calendar on Which Nelcy Was Recorded as Working in the Program.**

13A.15.03.03C

- **Licensing Specialist Did Not Observe Fire Drills Recorded for 2025 Yet. Corrected During Inspection. LS Returned to the Home and the Provider Gave the LS Evidence of Fire and Disaster Drills Recorded Each Month in 2025.**

13A.15.03.03F

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Did Not Observe an Emergency Form for One Child Present and Three Incomplete Emergency Forms.**
13A.15.03.04A(1)
- **One Child Enrolled Does Not Have an Emergency Form Completed.**
13A.15.03.04A(1)
- **Licensing Specialist Observed More Than One Incomplete Emergency Form.**
13A.15.03.04A(3)
- **Licensing Specialist Observe One Child Missing an Emergency Form, Three Incomplete Emergency Forms, and Two Children Missing Blood Lead Testing.**
13A.15.03.04C
- **On August 10, 2025, the Provider Discovered That Her Kitchen Floor Was Water Damaged Due to a Fault Water Jug Placed on a Water Cooler. The OCC Was Not Notified About This.**
13A.15.03.05C(3)
- **The Provider Found Out About the Kitchen Floor Being Water Damaged Due to a Faulty Water Jug on the Water Cooler on Sunday August 10, 2025. This Floor of the Home Is Where Children Use the Restroom and Where Child Care Is Approved. The OCC Was Not Notified About This Change.**
13A.15.03.05C(3)
- **The Provider Returned From Vacation to Find That the Water Jug Placed Into the Water Cooler Had Been Faulty and the Whole Jug Emptied Out Onto the Kitchen Floor. Part of the Floor Is Missing and Is Due to Be Replaced.**
13A.15.05.01B
- **The Additional Adult Stated That Construction Workers Were in the House the Day of the Incident Cutting Into the Flooring in the Kitchen Due to Water Damage While Children Were Napping in the Basement.**
13A.15.05.01C
- **Licensing Specialist Did Not See a Barrier Secured at the Bottom of the Steps of the Basement While a Four Year Old Child Was Napping in the Basement.**
13A.15.05.04B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.