

Georgetown Hill Child Care

Wisconsin Ave
Bethesda, MD

4 Inspection Visits Since 2024 · 13 Findings

Most recent inspection: Sep 29, 2025

● 13 Important

Across 4 inspections since 2024, the issues cited most often were Licensing Specialist Observed 2 Instances of Teachers Who Fell Short of the 12 Hours of Continued Training for 2023-2024. Facility Is Asked to Submit Additional Training to Make Up These Hours. (2), LS Observed 5 Instances of Children's Emergency Forms Missing Various Combinations of the Following Information: Enrollment Date, Annual Update, Authorized Pickup, Physician Information. (1), and LS Observed 3 Instances of Missing Health Inventory Part II Forms in the Children's Files. (1). None of the 13 findings were critical.

Inspection Visits

Sep 29, 2025 5 Findings ● 5 Important

● **LS Observed 5 Instances of Children's Emergency Forms Missing Various Combinations of the Following Information: Enrollment Date, Annual Update, Authorized Pickup, Physician Information.**

13A.16.03.04C

● **LS Observed 3 Instances of Missing Health Inventory Part II Forms in the Children's Files.**

13A.16.03.04D(3)

● **LS Observed 2 Instances of Missing Lead Test Forms in the Children's Files.**

13A.16.03.04E

● **LS Observed 1 Instance of a Missing Immunization Record in the Children's Files.**

13A.16.03.04G

● **LS Observed the Refrigerator in the Infant 10A Room Had a Temperature of Around 45 Degrees F. The Temperature Was Adjusted During the Inspection.**

13A.16.12.04F(3)

Sep 30, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed 2 Instances of Teachers Who Fell Short of the 12 Hours of Continued Training for 2023-2024. Facility Is Asked to Submit Additional Training to Make Up These Hours.**

13A.16.06.09C

May 17, 2024 4 Findings ● 4 Important

- **Licensing Specialist Confirmed That a Lapse in Supervision Caused a Child to Be Left Behind in Their Classroom While the Rest of the Group Went to the Hallway Bathroom.**

13A.16.07.01

- **Licensing Specialist Confirmed That the Facility Did Not Call CPS After Being Informed of This Incident. LS Spoke with the Director Over the Phone and Asked Her to Contact the Agency to Make the Report as Soon as Possible.**

13A.16.07.02A(2)

- **Facility Is Asked to Review Scenarios of Potential Abuse or Neglect That Could Constitute a Mandatory Report to the Appropriate Agency.**

13A.16.07.02C(2)

- **Licensing Specialist Confirmed That the Child Was Left Alone in the Classroom Without Any Additional Staff Members to Supervise Them for a Few Minutes.**

13A.16.08.01A(2)(b)

Apr 1, 2024 3 Findings ● 3 Important

- **Licensing Specialist Observed That One Sink on the 3rd Floor Bathroom Was Not Able to Be Activated with the Motion Sensor. Facility Is Asked to Examine This and Place a Work Order for Repairs if Necessary.**

13A.16.05.08B

- **Licensing Specialist Observed 1 Instance of a Teacher Missing Their Continued Training Hours. Facility Is Asked to Submit a Written Statement About How This Will Be Addressed.**

13A.16.06.09C

- **Licensing Specialist Observed 1 Instance of an Aide Missing Their Continued Training Hours. Facility Is Asked to Submit a Written Statement About How This Will Be Addressed.**

13A.16.06.12B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.