

The Childcare Learning Center at Hernwood Elementary School

Marriottsville Road
Randallstown, MD

2 Inspection Visits Since 2023 · 6 Findings

Most recent inspection: Sep 25, 2025

6 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed the MD Print Results Missing for One Staff Member. Program Is to Send Proof to OCC ASAP That the Missing MD Result Has Been Printed and Added to the Staff's File as Required. (1), LS Observed That the Emergency Disaster Plan Needs to Be Updated to Reflect Recent/new Changes in Staff. Program Is to Update Plan Accordingly and Send Pictures as Proof of Correction to OCC ASAP. (1), and LS Observed That the Disposable Washcloths in the FA Kit Are Damaged and Need to Be Replaced. Program Is to Replace with New Washcloths and Send Pictures as Proof of Correction to OCC ASAP. (1). None of the 6 findings were critical.

Inspection Visits

Sep 12, 2024 4 Findings 4 Important

- **LS Observed the MD Print Results Missing for One Staff Member. Program Is to Send Proof to OCC ASAP That the Missing MD Result Has Been Printed and Added to the Staff's File as Required.**

13A.16.03.05C

- **LS Observed That the Emergency Disaster Plan Needs to Be Updated to Reflect Recent/new Changes in Staff. Program Is to Update Plan Accordingly and Send Pictures as Proof of Correction to OCC ASAP.**

13A.16.10.01A(3)(d)

- **LS Observed That the Disposable Washcloths in the FA Kit Are Damaged and Need to Be Replaced. Program Is to Replace with New Washcloths and Send Pictures as Proof of Correction to OCC ASAP.**

13A.16.10.02E

- **LS Observed Several Uncapped Outlets. The Program Is Currently Closed and Plans to Reopen the First Week of October. The Program Is to Send a Statement of Correction to OCC ASAP When All Outlets Have Been Recapped.**

13A.16.10.04F

Jul 31, 2023 2 Findings 2 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed a Ripped Diapering Mat Rendering the Surface Porous. Program Is to Replace with a Nonporous Pad as Required. Program Is to Send Proof of Correction to OCC ASAP.**
13A.16.11.03C
- **LS Observed Several Juice Boxes in the Fridge, Some Are 100% Juice and Some Are Not 100% Juice. The Program Removed All of the Other Juices That Are Not 100% During This Inspection and Stated They Will Only Serve 100% Juice as Required. Corrected on Site.**
13A.16.12.01A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.