

Kempton Elementary Before and After School Enrichment

Kempton Church Road
Monrovia, MD

2 Inspection Visits Since 2024 · 13 Findings

Most recent inspection: Apr 21, 2026

● 13 Important

Across 2 inspections since 2024, the issues cited most often were LS Did Not Observe Completed Staff Orientation for Two Staff Members. (2), LS Observed One Staff Member Present That Has Not Been Approved by the Office. LS Reminded Facility That Staff Must Be Approved by the Office Before Having Access to the Children. (2), and LS Did Not Observe a Staff File for One Aide. LS Did Not Observe Staff Files for 2 Substitutes. (1). None of the 13 findings were critical.

Inspection Visits

Apr 8, 2025 5 Findings ● 5 Important

● **LS Did Not Observe a Staff File for One Aide. LS Did Not Observe Staff Files for 2 Substitutes.**
13A.16.03.05C

● **LS Did Not Observe Completed Staff Orientation for Two Staff Members.**
13A.16.06.02

● **LS Did Not Observe a Completed Professional Development Plan for One Child Care Teacher.**
13A.16.06.10C(2)

● **LS Observed an Aide with 6 Children at Beginning of Inspection. Qualified Staff Arrived During Inspection.**
13A.16.08.02B

● **Facility's Emergency and Disaster Plan Was Last Updated October 2023.**
13A.16.10.01A(3)(d)

Feb 29, 2024 8 Findings ● 8 Important

● **LS Observed the Posted Staffing Pattern That Listed Staff That Are No Longer Working at the Facility.**
13A.16.03.05B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed One Staff That Was Not Approved by the Office and an Aide Assigned to the Children. Facility Contacted a Director From Another Location to Come to the Facility. The Other Director Arrived After About 30 Minutes but Is Not Listed on the Facilities Associated Parties.**
13A.16.03.05D(2)
- **The Substitute Log at the Facility Has Names Listed of the Substitutes but No Indication of Who They Are Substituting in Place Of.**
13A.16.03.05E
- **LS Observed One Staff Member Present That Has Not Been Approved by the Office. LS Reminded Facility That Staff Must Be Approved by the Office Before Having Access to the Children.**
13A.16.03.06A(1)
- **LS Interviewed Staff and Confirmed That the Director Has Not Been Working at the Facility Since December 22, 2023.**
13A.16.03.06A(2)
- **LS Observed That at the Time of Arrival the Children Were in an Unapproved Area. The Children Were Gathered in "The Stage" Which Was Enclosed and Being Used as Storage for 2 Sets of Bleachers, Stacks of Chairs and Other Items. Facility Must Submit to Have Area Approved if They Will Be Using It In**
13A.16.05.01A(2)
- **LS Observed One Staff at the Time of Arrival That Had Not Been Cleared by the Office and One Aide Assigned to the Children in Care. A Staff Member From Another Facility Was Called and Came to This Facility Within 30 Minutes. This Staff Was Cleared for Company but Not Associated with This Facility.**
13A.16.06.02
- **Facility Staff Confirmed That the Director's Last Day Was December 22, 2023. No Director Has Been Assigned to the Program for Over 2 Months.**
13A.16.06.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.