

# Crestwood Oakes

Price's Distillery Road  
Ijamsville, MD

## 1 Inspection Visit Since 2025 - 6 Findings

Most recent inspection: Mar 18, 2026

● 6 Important

Across 1 inspection since 2025, the issues cited most often were At the Time of This Inspection the Facility Did Not Have a Parent Portion of the Health Assessment for 1 Child Enrolled in Care. The Facility Is to Obtain This Missing Record and Submit Evidence to the LS. (2), At the Time of This Inspection the Facility Did Not Have an Emergency Card for 1 Child Enrolled in Care. The Facility Is to Obtain This Missing Record and Submit Evidence to the LS. (1), and At the Time of This Inspection the Facility Did Not Have an Evidence of Lead Screening for 1 Child Enrolled in Care. The Facility Is to Obtain This Missing Record and Submit Evidence to the LS. (1). None of the 6 findings were critical.

## Inspection Visits

Mar 17, 2025 6 Findings ● 6 Important

- **At the Time of This Inspection the Facility Did Not Have an Emergency Card for 1 Child Enrolled in Care. The Facility Is to Obtain This Missing Record and Submit Evidence to the LS.**  
13A.16.03.04C
- **At the Time of This Inspection the Facility Did Not Have a Parent Portion of the Health Assessment for 1 Child Enrolled in Care. The Facility Is to Obtain This Missing Record and Submit Evidence to the LS.**  
13A.16.03.04D(1-2)
- **At the Time of This Inspection the Facility Did Not Have an Completed Doctors Portion of the Health Assessment for 1 Child Enrolled in Care. The Facility Is to Obtain This Missing Record and Submit Evidence to the LS.**  
13A.16.03.04D(3)
- **At the Time of This Inspection the Facility Did Not Have an Evidence of Lead Screening for 1 Child Enrolled in Care. The Facility Is to Obtain This Missing Record and Submit Evidence to the LS.**  
13A.16.03.04E
- **At the Time of This Inspection the LS Was Unable to Confirm the Completion of 6hr of Training for an Aide Associated with the Facility. The Staff Member Had a Completed Professional Development Plan with a Completion Date but the Certificate Is Not Completed. The Staff Member Is to Obtain a Complete**  
13A.16.06.12B(1)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of This Inspection the Facility Was Missing an Operable Flashlight and Paper Towels From the First Aid Kit. The Facility to Obtain These Missing Items and Submit a Photo to the LS.**

13A.16.10.02E

#### **About this report**

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.