

Karen Betcher

Furnace Brook Drive
Eldersburg, MD

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Apr 29, 2025

● 3 Important

Across 2 inspections since 2024, the issues cited most often were There Were Two Emergency Forms That Did Not Contain the Name of the Physician, Address and Telephone Number. There Was an Emergency Form That Did Not Contain the Address of the Physician. (2) and There Was a Trampoline at the Providers Home. (1). None of the 3 findings were critical.

Inspection Visits

Apr 29, 2025 1 Finding ● 1 Important

- **There Was a Trampoline at the Providers Home.**
13A.15.10.03D(1)

May 8, 2024 2 Findings ● 2 Important

- **There Were Two Emergency Forms That Did Not Contain the Name of the Physician, Address and Telephone Number. There Was an Emergency Form That Did Not Contain the Address of the Physician.**
13A.15.03.04A(1)
- **There Was an Emergency Form That Was Not Dated or Signed by the Parent.**
13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.