

Fay Butler

Dundalk Ave
Baltimore, MD

1 Inspection Visit Since 2024 - 4 Findings

Most recent inspection: Mar 4, 2025

● 4 Important

Across 1 inspection since 2024, the issues cited most often were LS Observed One Child's File Without Lead, and One Child's Emergency Form Without Physicians Information. (1), LS Observed the Bottom of the Refrigerator with Old Food and Liquid Under the Drawers and on the Selves. (1), and LS Observed Two Spray Cans on the Ground, Multiple Potentially Hazard Items on the Steps, Two Uncovered Grills, and a Hole in the Back Fence. (1). None of the 4 findings were critical.

Inspection Visits

Mar 12, 2024 4 Findings ● 4 Important

● **LS Observed One Child's File Without Lead, and One Child's Emergency Form Without Physicians Information.**

13A.15.03.04C

● **LS Observed the Bottom of the Refrigerator with Old Food and Liquid Under the Drawers and on the Selves.**

13A.15.05.03A

● **LS Observed Two Spray Cans on the Ground, Multiple Potentially Hazard Items on the Steps, Two Uncovered Grills, and a Hole in the Back Fence.**

13A.15.05.05A

● **LS Observed Mouth Wash, and Perfume in Reach of Children. - Provider Moved Potentially Items So They Were Out of Reach of Children.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.