

First Start Learning Center

Huntshire Dr 106
Elkridge, MD

2 Inspection Visits Since 2024 · 13 Findings

Most recent inspection: Jan 21, 2026

13 Important

Across 2 inspections since 2024, the issues cited most often were LS Observed Several Children's Written Activity Plans That Had Not Been Updated. The Provider Has Sent a Email to Each Infant/toddler Parent Requesting That They Come in and Update the Activity Plan for Their Child. LS Also Advised That the Teacher Should Go Over the Activity Plan with Each Parent. (2), LS Observed Several Children in Care Missing Enrollment Dates and Hours of Expected Attendance, Missing Name, Address and Telephone Number of Child's Physician, and Individual Who Is Authorized to Pick the Child Up Each Day. (1), and LS Was Not Notified of Two New Staff Members and No Paperwork Was Given to the Office of Child Care. During the Inspection the Owner Did Provide ROI for One Staff. (1). None of the 13 findings were critical.

Inspection Visits

Jan 21, 2026 1 Finding 1 Important

- **LS Observed Several Children's Written Activity Plans That Had Not Been Updated. The Provider Has Sent a Email to Each Infant/toddler Parent Requesting That They Come in and Update the Activity Plan for Their Child. LS Also Advised That the Teacher Should Go Over the Activity Plan with Each Parent.**

13A.16.09.02C

Jan 26, 2024 12 Findings 12 Important

- **LS Observed Several Children in Care Missing Enrollment Dates and Hours of Expected Attendance, Missing Name, Address and Telephone Number of Child's Physician, and Individual Who Is Authorized to Pick the Child Up Each Day.**

13A.16.03.04C

- **LS Was Not Notified of Two New Staff Members and No Paperwork Was Given to the Office of Child Care. During the Inspection the Owner Did Provide ROI for One Staff.**

13A.16.03.06A(1)

- **Owner Did Not Notify Within 15 Working Days of New Staff or Provide Documentation to the Office of Child Care**

13A.16.03.06B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed One Toilet Seat That Was Not Properly Aligned with the Toilet. LS Observed Chipping Paint in Several Classrooms, Peeling Window Tint on One Door in a Classroom, Hanging Blinds Cords in One Classroom.**
13A.16.05.01A(1)
- **LS Observed One Bathroom That Did Not Have Running Hot Water.**
13A.16.05.07A
- **LS Observed 2 Refrigerators That Were Dirty.**
13A.16.05.11A
- **LS Observed Potentially Harmful Items (One Two by Four and Inappropriately Stacked Toys and Trash) Behind the Shed in the Outside Play Area.**
13A.16.05.12D
- **LS Observed Several Infant/toddler Activity Plans That Were Not Reevaluated at Least Every 3 Months.**
13A.16.09.02C
- **LS Observed Two (2) Mattresses in One (1) Crib. The Director Removed the Extra Mattress During the Inspection.**
13A.16.09.04A(4)(a)
- **LS Observed Three (3) Cribs That Were End to Side and Touching.**
13A.16.09.04E(1)
- **LS Observed One Storage Container That Needed a Safety Lock on It. One Storage Container with a Broken Shelf.**
13A.16.09.06A
- **LS Did Not Observe Emergency Escape Route Floor Plan in Each Area and Room in the Center.**
13A.16.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.