

Angela Stickell

Sherwood Avenue
Chesapeake Beach, MD

3 Inspection Visits Since 2024 · 8 Findings

Most recent inspection: Apr 29, 2026

● 8 Important

Across 3 inspections since 2024, the issues cited most often were The Provider Has an Inground Pool on the Property. The Pool Is Currently Closed and Has a Cover on It. During the Inspection Today, the Far Pool Gate Was Open and the Gate Closest to the Child Care Entrance Would Not Self Latch When Opened. Please Close the Gate That Is Open and Fix the Gate That (2), All Emergency Forms but One Need to Be Updated. In Addition, One Form Needs a Date of Birth Added and One Needs Health Care Provider Information Added. Please Have Parents Update Forms and Send Copies to LS. (1), and The Children Did Not Wash Their Hands Before Breakfast. The Regulations Require Children to Wash Their Hands Before Eating, After Toileting and Diapering, After Playing Outdoors and After Handling Animals. This Was Discussed with the Provider and the Provider Expressed Understanding and Stated The (1). None of the 8 findings were critical.

Inspection Visits

Apr 29, 2026 5 Findings ● 5 Important

- **All Emergency Forms but One Need to Be Updated. In Addition, One Form Needs a Date of Birth Added and One Needs Health Care Provider Information Added. Please Have Parents Update Forms and Send Copies to LS.**
13A.15.03.04A(3)
- **The Children Did Not Wash Their Hands Before Breakfast. The Regulations Require Children to Wash Their Hands Before Eating, After Toileting and Diapering, After Playing Outdoors and After Handling Animals. This Was Discussed with the Provider and the Provider Expressed Understanding and Stated The**
13A.15.05.03D(2)
- **When LS Arrived at Provider's Home, the Door to the Basement Storage Room Was Open. The Storage Room Is Off Limits to Child Care Children and Should Be Inaccessible at All Times. The Door Was Closed While LS Was Present, Therefore This Is Corrected.**
13A.15.05.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Has an Inground Pool on the Property. The Pool Is Currently Closed and Has a Cover on It. During the Inspection Today, the Far Pool Gate Was Open and the Gate Closest to the Child Care Entrance Would Not Self Latch When Opened. Please Close the Gate That Is Open and Fix the Gate That**

13A.15.05.05C

- **During the Inspection Today, the LS Observed a Hole in the Mesh of the Playpen That One Child in Care Uses. Provider Does Have Another Approved Play Pen That She Can Use. Please Send a Photo of the Repaired Play Pen or the New Play Pen Put in Place to the LS.**

13A.15.05.06E

May 30, 2025 1 Finding ● 1 Important

- **Provider Stated She Has Used a Substitute Occasionally in the Last Two Years, but Does Not Have a Substitute Record. Provider Is Reminded That a Written Record of Substitute Use Should Be Maintained. Please Submit a Written Plan of Correction to Licensing Specialist.**

13A.15.03.03C

Jun 7, 2024 2 Findings ● 2 Important

- **Licensing Specialist Observed Provider Use Lysol Spray to Clean the Diapering Pad. OCC Diapering Procedure Requires the Diapering Pad Be Cleaned with Soap and Water and Disinfected with Bleach and Water. Provider Did Mix Bleach and Water While Licensing Specialist Was Present, but Does Not Have A**

13A.15.05.03E(2)

- **Provider Has an in Ground Pool on the Property. The Pool Is Surrounded by a Fence and Has Two Gates. When Licensing Specialist Arrived, the Gates Were Not Locked. The Provider Stated the Pool Alarm Is Not in the Pool and Licensing Specialist Did Not Observe the Alarm in the Pool. Provider Must Lo**

13A.15.05.05C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.