

## Kena Smith

Leith Walk  
Baltimore, MD

### 2 Inspection Visits Since 2024 - 4 Findings

Most recent inspection: Jul 1, 2025

● 4 Important

Across 2 inspections since 2024, the issues cited most often were LS Observed That One Child Is Missing Health Assessment Part 1 and 2, and Lead Screening. (1), LS Observed That the Refrigerator Temperature Is 45 Degrees. (1), and LS Jordan Inspected the Home and Found Rodent Droppings Around the Stove in the Kitchen. and Dead Brown Bugs in the Basement Within Children's Reach. (1). None of the 4 findings were critical.

### Inspection Visits

**Jul 1, 2025** 2 Findings ● 2 Important

● **LS Observed That One Child Is Missing Health Assessment Part 1 and 2, and Lead Screening.**  
13A.15.03.04C

● **LS Observed That the Refrigerator Temperature Is 45 Degrees.**  
13A.15.12.02B

**Jul 18, 2024** 2 Findings ● 2 Important

● **LS Jordan Inspected the Home and Found Rodent Droppings Around the Stove in the Kitchen. and Dead Brown Bugs in the Basement Within Children's Reach.**  
13A.15.05.01C

● **LS Jordan Observed a Portable Toilet in the Living Room with Urine on It.**  
13A.15.05.03F(3)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.