

Community Play Project

Harford Road
Baltimore, MD

1 Inspection Visit Since 2025 - 10 Findings

Most recent inspection: Aug 26, 2025

● 10 Important

Across 1 inspection since 2025, the issues cited most often were The Director Needs Proof of 1 Additional Hour of Annual Training; Observed 11 Hours During the Inspection. (2), The Center Did Not Have Proof of Lead Screening/test for One (1) Enrolled Child. (1), and Observed One Sink in the Children's Bathroom That Had No Hot Running Water. (1). None of the 10 findings were critical.

Inspection Visits

Aug 26, 2025 10 Findings ● 10 Important

- **The Center Did Not Have Proof of Lead Screening/test for One (1) Enrolled Child.**
13A.16.03.04E
- **Observed One Sink in the Children's Bathroom That Had No Hot Running Water.**
13A.16.05.01A(1)
- **The Fire and Boiler Permits Expired. The Center Had Proof of Payment to BCFD and Is Awaiting an Inspection. However, the Center Did Not Have Any Updates Regarding the Boiler Permit and Will Speak to the Church Building Staff.**
13A.16.05.01B
- **The Center Did Not Have Proof of MSDE Medical Exams for All Staff Members.**
13A.16.06.04A(1)
- **The Director Needs Proof of 1 Additional Hour of Annual Training; Observed 11 Hours During the Inspection.**
13A.16.06.05C(1)
- **The Director Did Not Complete the 2024 Basic Health and Safety Update Training.**
13A.16.06.05C(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **2 Teachers Needs Proof of 3-hour Basic Health and Safety Training and the 2024 Update Training. 1 Teacher Needs 1 Additional Hour of Annual Training, LS Observed 11 Hours During the Inspection.**
13A.16.06.09C
- **1 Aide Staff Member Needs Proof of 3- Hour Basic Health and Safety Training and 2 Aide Staff Members Needs Proof of 2024 Basic Health and Safety Update Training.**
13A.16.06.12B(3)
- **The Daily Schedule Did Not Indicate Outdoor Play Twice per Day.**
13A.16.09.01A(7)
- **The Emergency Contact Numbers Were Not Current.**
13A.16.10.01C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.