

## Gayle Tobin

Tioga Parkway  
Baltimore, MD

### 4 Inspection Visits Since 2023 - 13 Findings

Most recent inspection: Dec 15, 2025

● 13 Important

Across 4 inspections since 2023, the issues cited most often were LS Did Not Observe Providers Emergency and Disaster Plan. (2), LS Observed an Uncovered Grill in the Backyard. (2), and Provider Did Not Notify the OCC of Injury to a Child While in Care That Results in Treatment by a Medical Professional. (1). None of the 13 findings were critical.

### Inspection Visits

**Dec 15, 2025** 2 Findings ● 2 Important

- **Provider Did Not Notify the OCC of Injury to a Child While in Care That Results in Treatment by a Medical Professional.**  
13A.15.03.05A(2)(a)
- **Provider Did Not Notify the OCC of a Situation Involving the Home That May Present a Risk to the Health, Safety, or Welfare of Children in Care.**  
13A.15.03.05C(3)

**Aug 12, 2025** 1 Finding ● 1 Important

- **LS Observed Several Roaches in the Child Care Area.**  
13A.15.05.01C

**Aug 14, 2024** 8 Findings ● 8 Important

- **LS Observed an Expired Fire Permit Dated 10/31/2023.**  
13A.15.02.03B(2)
- **LS Did Not Observe Provider's Fire/emergency Drill.**  
13A.15.03.03F

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Did Not Observe Providers 12 Hour Continued Training.**  
13A.15.06.02B(3)
- **LS Did Not Observe Providers Emergency and Disaster Plan.**  
13A.15.10.01A(1)
- **LS Did Not Observe a List of Local Emergency Services Numbers in the Child Care Space.**  
13A.15.10.01A(2)
- **LS Did Not Observe Thermometer and Fragrance Free Soap in the First Aid Kit.**  
13A.15.10.01H(1)
- **LS Observed an Uncovered Grill in the Backyard.**  
13A.15.10.02
- **LS Did Not Observe 1% Milk in the Child Care.**  
13A.15.12.01D

**Aug 15, 2023** 2 Findings ● 2 Important

- **LS Observed 4 Emergency Forms Out of the 4 Two Were Outdated. Provider Stated She Does Not Have Emergency Forms for ZM and KJ.**  
13A.15.03.04A(3)
- **LS Observed Two Clorox Wipes Bottles in Reach of Children, One Bottle Was in the Bathroom and the Other Was on the Children's Table. - Corrected on Site.**  
13A.15.10.02

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.