

En haus

6300A Boyers Mill Road
New Market, MD

2 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Jun 27, 2025

● 4 Important

Across 2 inspections since 2023, the issues cited most often were At the Time of Inspection, Licensing Specialist Observed No Evidence of Completion of an Approved Basic Health and Safety Training for 1 Aide, A.B. The Center Shall Submit Evidence of Completion of the Training Immediately. (1), At the Time of Inspection, Licensing Specialist Observed No Evidence of an Emergency Escape Plan Posted in the 2's Room or the Sky Classroom. The Center Shall Post Emergency Escape Plans and Submit Photographic Evidence to the OCC. (1), and At the Time of Inspection, Licensing Specialist Observed 2 Children's Emergency Forms That Were Missing a Daily Authorized Pick Up Person. One Child's Emergency Form Was Missing the Child's Health Provider Information. One Child's Emergency Form Was Not Updated at Least Annually. (1). None of the 4 findings were critical.

Inspection Visits

Jun 27, 2025 2 Findings ● 2 Important

- **At the Time of Inspection, Licensing Specialist Observed No Evidence of Completion of an Approved Basic Health and Safety Training for 1 Aide, A.B. The Center Shall Submit Evidence of Completion of the Training Immediately.**
13A.16.06.12A(3)

- **At the Time of Inspection, Licensing Specialist Observed No Evidence of an Emergency Escape Plan Posted in the 2's Room or the Sky Classroom. The Center Shall Post Emergency Escape Plans and Submit Photographic Evidence to the OCC.**
13A.16.10.01A(4)

Jun 13, 2023 2 Findings ● 2 Important

- **At the Time of Inspection, Licensing Specialist Observed 2 Children's Emergency Forms That Were Missing a Daily Authorized Pick Up Person. One Child's Emergency Form Was Missing the Child's Health Provider Information. One Child's Emergency Form Was Not Updated at Least Annually.**
13A.16.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed 2 Children's Records That Were Missing Evidence of a Lead Test.**

13A.16.03.04E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.