

Tammy Edelen

Brightwell Court
Waldorf, MD

2 Inspection Visits Since 2024 · 7 Findings

Most recent inspection: Aug 25, 2025

● 7 Important

Across 2 inspections since 2024, the issues cited most often were The Upstairs Bedroom Door Was Left Open, Which Would Allow Children to Have Access to This Room. This Bedroom Is Not Approved Child Care Space and It May Contain Potentially Hazardous Items, Therefore, This Bedroom Door Must Remain Shut with the Safety Door Knob Cover or Locked While Children Are I (2), The Provider Indicated That After Diapering, She Has Been Washing the Children's Hands in the Kitchen Sink. Please Ensure That the Children's Hands Are Being Washed in the Upstairs Bathroom to Ensure There Is Not Any Spread of Germs, Fecal Matter Etc. Contaminating the Kitchen Sink. (1), and Ensure the Shed Is Kept Locked at All Times to Secure Potentially Hazardous Items. Keep the Lawn and Yard Maintained. Please Dispose of the Plastic Bag of Toys That Are No Longer in Good Condition That Is Leaning Against the Back Fence. (1). None of the 7 findings were critical.

Inspection Visits

Aug 25, 2025 6 Findings ● 6 Important

- **The Provider Indicated That After Diapering, She Has Been Washing the Children's Hands in the Kitchen Sink. Please Ensure That the Children's Hands Are Being Washed in the Upstairs Bathroom to Ensure There Is Not Any Spread of Germs, Fecal Matter Etc. Contaminating the Kitchen Sink.**
13A.15.05.03D(2)
- **The Upstairs Bedroom Door Was Left Open, Which Would Allow Children to Have Access to This Room. This Bedroom Is Not Approved Child Care Space and It May Contain Potentially Hazardous Items, Therefore, This Bedroom Door Must Remain Shut with the Safety Door Knob Cover or Locked While Children Are I**
13A.15.05.04B(2)
- **Located in the Upstairs Bathroom Were Hazardous Items Located in the Cabinet. The Safety Latch Was Not Secured/latched at the Time of the Inspection. Ensure That the Safety Latch on This Cabinet Is in the Secured Lock Position at All Times While Children Are in Care.**
13A.15.05.04B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Ensure the Shed Is Kept Locked at All Times to Secure Potentially Hazardous Items. Keep the Lawn and Yard Maintained. Please Dispose of the Plastic Bag of Toys That Are No Longer in Good Condition That Is Leaning Against the Back Fence.**

13A.15.05.05A

- **The Continued Training That Was Due by 9/30/2024 Was Submitted Late. This Continued Training Was Not Completed Until 10/22/2024. Please Ensure That Continued Training Is Completed Within the Correct Time Frame. This Is a Reminder That the Provider Needs to Submit at Least 10.75 Hours of Continued**

13A.15.06.02B(3)

- **Located on the Kitchen Floor Were Two Jugs of Hazardous Chemicals That Were in Reach of the Children. These Jugs Contained Antifreeze and the Other Jug Was Filled with Coolant, Which Is Used for Vehicles. The Provider Was Asked to Immediately Move These Items to a Secured Area Out of Reach of Child**

13A.15.10.02

Aug 28, 2024 1 Finding ● 1 Important

- **There Were Children's Files That Were Missing Either Vaccine Records, the Lead Screen or the Health Inventory Part II. A Hand-written List of the Children's Needed Documents Was Given to the Provider. Please Submit Copies of These Documents as Soon as Possible.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.