

Kimberly Hill

Kosoak Road
Middle River, MD

4 Inspection Visits Since 2024 - 14 Findings

Most recent inspection: Apr 30, 2026

● 14 Important

Across 4 inspections since 2024, the issues cited most often were Provider Did Not Practice for Other Emergency and Disaster Situations. Correct Immediately. (2), Licensing Specialist Observed Two Portable Cribs The Baby Trend Portable Crib Support Frame Would Not Stay Connected and the Graco Portable Crib Had a Rip in the Netting. Neither Portable Crib Can Be Used. Correct Immediately (1), and Provider Was Unable to Provide Proof of Completing the Total 12 Clock Hours of Continued Training for the Time Period of April 1, 2025 Through March 2026. Correct Immediately. (1). None of the 14 findings were critical.

Inspection Visits

Apr 30, 2026 2 Findings ● 2 Important

● **Licensing Specialist Observed Two Portable Cribs The Baby Trend Portable Crib Support Frame Would Not Stay Connected and the Graco Portable Crib Had a Rip in the Netting. Neither Portable Crib Can Be Used. Correct Immediately**

13A.15.05.06C(1)

● **Provider Was Unable to Provide Proof of Completing the Total 12 Clock Hours of Continued Training for the Time Period of April 1, 2025 Through March 2026. Correct Immediately.**

13A.15.06.02B(3)

Jul 30, 2025 1 Finding ● 1 Important

● **Provider Was Not Aware That She Had to Notify the Office of a Pending Charge Against the Person She Has a Substitute. Provider Must Provide Required Paperwork for a New Substitute.. Correct Immediately.**

13A.15.03.05C(2)(a)

Jan 5, 2025 10 Findings ● 10 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Has Four Children Enrolled in Care. Three of the Children Did Not Have All of the Required Forms. Correct Immediately.**
13A.15.03.02A
- **Three Children Did Not Have Evidence of Blood Lead Test. Correct Immediately.**
13A.15.03.02B
- **Provider Does Not Have a Written Agreement with All of the Parents. Correct Immediately.**
13A.15.03.03A
- **Provider Did Not Maintain a Daily Attendance Record for All of the Children in Her Care.. Correct Immediately.**
13A.15.03.03B
- **Provider Did the Conduct a Fire Drill Every Month and Did Not Conduct Any Disaster Drills. Correct Immediately.**
13A.15.03.03F
- **Provider Did Not Have the Health Assessment, Individual Care Needs , Evidence of Immunization, Blood Lead Test Report, Appropriately Completed Emergency Form for Three of the Four Children Enrolled in Care. Correct Immediately.**
13A.15.03.04C
- **Licensing Specialist Observed a Container with Standing Water , Grills, and Lawn Tools in the Play Area and Accessible to Children. Correct Immediately.**
13A.15.05.05A
- **Provider Was Not Able to Provide a Written Screen Time Policy That Would Be Given to Parents. Correct Immediately and Submit a Copy to the Office.**
13A.15.09.01B(6)
- **Provider Did Not Practice for Other Emergency and Disaster Situations. Correct Immediately.**
13A.15.10.01A(3)
- **Provider Could Not Locate the Plan; Therefore Unable to Show Whether It Had Been Updated. Correct Immediately.**
13A.15.10.01A(4)

Mar 7, 2024 1 Finding ● 1 Important

- **Provider Did Not Have a Completed Emergency Information Form for the Two Children in Her Care.**
13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.