

## Nadine Allen

Gilley Terrace  
Rosedale, MD

### 3 Inspection Visits Since 2024 - 14 Findings

Most recent inspection: Nov 24, 2025

● 14 Important

Across 3 inspections since 2024, the issues cited most often were LS Observed One Child's Emergency Form Missing the Child's Physician Information. (3), LS Observed a Uncovered Grill in the Outdoor Area as Well as Pet Feces in the Play area.

LS Observed a Turtle Accessible to Children in care.

LS Did Not Observe a Protective Barrier at the Steps Leading to the Deck and to the Lower Basement Level. (2), and LS Observed a Uncovered Grill in the Outdoor Area as Well as Pet Feces in the Play area.

LS Observed a Turtle Accessible to Children in care.

LS Did Not Observe a Protective Barrier at the Steps Leading to the Deck and to the Lower Basement Level. (2). None of the 14 findings were critical.

### Inspection Visits

**Nov 24, 2025** 9 Findings ● 9 Important

● **LS Observed Several Children Missing Parts 1 and 2 of the Health Inventory and Lead Testing Results.**

13A.15.03.02A

● **LS Observed Several Children Missing Lead Testing Results.**

13A.15.03.02B

● **LS Observed One Child Missing a Written Agreement.**

13A.15.03.03A

● **LS Observed One Child's Emergency Form Missing the Child's Physician Information.**

13A.15.03.04A(1)

● **LS Observed Several Children Missing Parts 1 and 2 of the Health Inventory and Lead Testing Results.**

13A.15.03.04C

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed a Uncovered Grill in the Outdoor Area as Well as Pet Feces in the Play area.  
LS Observed a Turtle Accessible to Children in care.  
LS Did Not Observe a Protective Barrier at the Steps Leading to the Deck and to the Lower Basement Level.**

13A.15.05.05A

- **LS Observed a Uncovered Grill in the Outdoor Area as Well as Pet Feces in the Play area.  
LS Observed a Turtle Accessible to Children in care.  
LS Did Not Observe a Protective Barrier at the Steps Leading to the Deck and to the Lower Basement Level.**

13A.15.07.07A

- **LS Observed That the High Chair Available for Children Under Age 2 Did Not Have the Appropriate Safety Seats.**

13A.15.09.02A(1)

- **LS Did Not Observe Liquid Fragrance Free Soap in the First Aid Kit. LS Also Only Observed 1 Roll of Gauze.**

13A.15.10.01H(1)

**Nov 26, 2024** 4 Findings ● 4 Important

- **LS Observed One Child's Emergency Form Missing the Name of the Authorized Pick Up Person.**

13A.15.03.04A(1)

- **LS Observed That Two Children's Emergency Forms Were Updated Annually. LS Also Observed Not Dated by the Parent.**

13A.15.03.04A(3)

- **LS Observed That the Last Fire Inspection for the Home Was Conducted in October 2023.**

13A.15.05.01A

- **LS Did Not Observe the Current Rabies Vaccination for Two Pets in the Home.**

13A.15.07.07A

**Jul 8, 2024** 1 Finding ● 1 Important

- **LS Observed a Trampoline in the Outdoor Play Area Accessible to Children in Care and the Zip Closure Used to Cover the Mesh Netting Was Broken.**

13A.15.05.05A

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.